

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)および累積罹患率(人口100対) ; 部位別、性別

A. 上皮内がんを除く

2009年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96	3,215	2,216	5,431	100.0	100.0	100.0	826.2	529.5	672.5	451.9	277.5	352.6	320.7	206.0	255.8	37.9	22.2	29.5
口腔・咽頭	C00-C14	53	30	83	1.6	1.4	1.5	13.6	7.2	10.3	9.1	3.7	6.3	7.0	3.0	4.9	0.8	0.2	0.5
食道	C15	67	14	81	2.1	0.6	1.5	17.2	3.3	10.0	9.6	1.4	5.2	6.9	0.9	3.7	0.9	0.1	0.5
胃	C16	658	307	965	20.5	13.9	17.8	169.1	73.4	119.5	91.4	31.0	58.4	63.7	21.9	41.1	8.0	2.4	5.0
大腸(結腸・直腸)	C18-C20	469	357	826	14.6	16.1	15.2	120.5	85.3	102.3	67.5	37.9	51.5	48.0	27.5	37.0	5.9	3.1	4.4
結腸	C18	311	259	570	9.7	11.7	10.5	79.9	61.9	70.6	43.4	25.8	33.8	30.3	18.5	23.9	3.7	2.1	2.8
直腸	C19-C20	158	98	256	4.9	4.4	4.7	40.6	23.4	31.7	24.1	12.1	17.7	17.7	9.0	13.1	2.2	1.1	1.6
肝および肝内胆管	C22	179	128	307	5.6	5.8	5.7	46.0	30.6	38.0	25.5	12.7	18.6	18.4	8.8	13.3	2.4	1.1	1.7
胆のう・胆管	C23-C24	99	105	204	3.1	4.7	3.8	25.4	25.1	25.3	12.4	8.4	10.1	8.3	5.7	6.8	0.9	0.6	0.7
膵臓	C25	134	104	238	4.2	4.7	4.4	34.4	24.9	29.5	18.0	9.0	13.1	12.4	6.1	9.0	1.3	0.7	1.0
喉頭	C32	33	5	38	1.0	0.2	0.7	8.5	1.2	4.7	4.4	0.8	2.4	3.0	0.6	1.7	0.4	0.1	0.2
肺	C33-C34	535	231	766	16.6	10.4	14.1	137.5	55.2	94.8	67.9	24.7	43.1	46.4	17.5	30.0	5.1	2.2	3.6
皮膚	C43-C44	62	46	108	1.9	2.1	2.0	15.9	11.0	13.4	8.9	5.7	7.1	6.4	4.0	5.1	0.8	0.4	0.6
乳房	C50	1	370	371	0.0	16.7	6.8	0.3	88.4	45.9	0.2	67.7	34.8	0.1	52.5	26.9	0.0	5.5	2.8
子宮	C53-C55	-	100	100	-	4.5	1.8	-	23.9	-	-	17.4	-	-	13.4	-	-	1.3	-
子宮頸部	C53	-	48	48	-	2.2	0.9	-	11.5	-	-	8.2	-	-	6.3	-	-	0.6	-
子宮体部	C54	-	48	48	-	2.2	0.9	-	11.5	-	-	8.8	-	-	6.8	-	-	0.7	-
卵巣	C56	-	58	58	-	2.6	1.1	-	13.9	-	-	9.8	-	-	7.7	-	-	0.8	-
前立腺	C61	405	-	405	12.6	-	7.5	104.1	-	-	52.5	-	-	34.8	-	-	4.4	-	-
膀胱	C67	98	26	124	3.0	1.2	2.3	25.2	6.2	15.4	12.5	1.7	6.4	8.5	1.2	4.4	1.0	0.1	0.5
腎・尿路(膀胱除く)	C64-C66 C68	108	49	157	3.4	2.2	2.9	27.8	11.7	19.4	16.5	5.4	10.5	12.1	3.8	7.7	1.4	0.4	0.9
脳・中枢神経系	C70-C72	20	18	38	0.6	0.8	0.7	5.1	4.3	4.7	3.7	2.7	3.2	3.5	2.6	3.0	0.3	0.2	0.2
甲状腺	C73	36	86	122	1.1	3.9	2.2	9.3	20.6	15.1	7.4	14.4	11.0	5.7	11.0	8.4	0.6	1.2	0.9
悪性リンパ腫	C81-C85 C96	87	81	168	2.7	3.7	3.1	22.4	19.4	20.8	14.2	10.7	12.3	10.9	8.3	9.5	1.3	0.8	1.0
多発性骨髄腫	C88-C90	26	16	42	0.8	0.7	0.8	6.7	3.8	5.2	3.7	1.6	2.6	2.7	1.2	1.9	0.3	0.2	0.2
白血病	C91-C95	41	30	71	1.3	1.4	1.3	10.5	7.2	8.8	6.9	4.4	5.5	5.9	3.7	4.7	0.6	0.3	0.5

表1. 罹患数、罹患割合（％）、粗罹患率、年齢調整罹患率（人口10万対）および累積罹患率（人口100対）； 部位別、性別

B. 上皮内がんを含む

2009年

部位	ICD-10	罹患数			罹患割合（％）			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人人口			世界人口					
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	3,386	2,400	5,786	100.0	100.0	100.0	870.1	573.5	716.4	477.8	316.1	384.4	339.3	237.3	280.5	40.2	25.1	32.1
食道	C15 D001	75	16	91	2.2	0.7	1.6	19.3	3.8	11.3	10.7	1.7	5.8	7.7	1.1	4.2	1.0	0.1	0.6
大腸（結腸・直腸）*1	C18-C20 D010-D012	544	392	936	16.1	16.3	16.2	139.8	93.7	115.9	79.9	43.6	60.4	57.2	31.8	43.7	6.9	3.6	5.2
結腸 *1	C18 D010	365	284	649	10.8	11.8	11.2	93.8	67.9	80.4	52.3	29.7	40.1	36.8	21.5	28.6	4.4	2.4	3.4
直腸 *1	C19-C20 D011-D012	179	108	287	5.3	4.5	5.0	46.0	25.8	35.5	27.6	13.9	20.3	20.4	10.3	15.1	2.5	1.2	1.8
肺	C33-C34 D021-D022	535	231	766	15.8	9.6	13.2	137.5	55.2	94.8	67.9	24.7	43.1	46.4	17.5	30.0	5.1	2.2	3.6
皮膚	C43-C44 D030-D049	77	63	140	2.3	2.6	2.4	19.8	15.1	17.3	10.8	7.1	8.7	7.6	4.9	6.1	0.9	0.5	0.7
乳房	C50 D05	1	426	427	0.0	17.8	7.4	0.3	101.8	52.9	0.2	80.7	41.3	0.1	62.8	32.1	0.0	6.5	3.3
子宮	C53-C55 D06	-	158	158	-	6.6	2.7	-	37.8	-	-	34.1	-	-	27.9	-	-	2.5	-
子宮頸部	C53 D06	-	106	106	-	4.4	1.8	-	25.3	-	-	24.9	-	-	20.7	-	-	1.8	-
膀胱	C67 D090	157	37	194	4.6	1.5	3.4	40.3	8.8	24.0	21.0	2.8	11.0	14.7	1.8	7.7	1.7	0.2	0.9

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

A. 上皮内がんを除く

2009年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
			罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)
男	全部位	C00-C96	2 100.0	3 100.0	3 100.0	3 100.0	5 100.0	9 100.0	14 100.0	22 100.0	30 100.0	50 100.0	104 100.0	210 100.0	392 100.0	407 100.0	561 100.0	609 100.0	470 100.0	321 100.0
	口腔・咽頭	C00-C14	0 0.0	0 0.0	0 0.0	1 33.3	0 0.0	0 0.0	1 7.1	2 9.1	1 3.3	3 6.0	3 2.9	6 2.9	9 2.3	8 2.0	5 0.9	8 1.3	3 0.6	3 0.9
	食道	C15	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 1.9	10 4.8	10 2.6	10 2.5	13 2.3	11 1.8	5 1.1	6 1.9
	胃	C16	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 7.1	3 13.6	5 16.7	9 18.0	23 22.1	44 21.0	76 19.4	92 22.6	126 22.5	129 21.2	94 20.0	56 17.5
	大腸（結腸・直腸）	C18-C20	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 22.2	0 0.0	4 18.2	2 6.7	8 16.0	27 26.0	34 16.2	65 16.6	59 14.5	83 14.8	82 13.5	66 14.0	37 11.5
	結腸	C18	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	3 13.6	1 3.3	4 8.0	15 14.4	22 10.5	33 8.4	38 9.3	59 10.5	59 9.7	47 10.0	29 9.0
	直腸	C19-C20	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	1 4.5	1 3.3	4 8.0	12 11.5	12 5.7	32 8.2	21 5.2	24 4.3	23 3.8	19 4.0	8 2.5
	肝および肝内胆管	C22	0 0.0	0 0.0	0 0.0	0 0.0	1 20.0	0 0.0	0 0.0	0 0.0	0 0.0	3 6.0	7 6.7	11 5.2	31 7.9	21 5.2	40 7.1	32 5.3	18 3.8	15 4.7
	胆のう・胆管	C23-C24	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.0	4 3.8	5 2.4	5 1.3	10 2.5	17 3.0	18 3.0	21 4.5	18 5.6
	膵臓	C25	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	2 6.7	3 6.0	1 1.0	12 5.7	20 5.1	10 2.5	16 2.9	26 4.3	27 5.7
	喉頭	C32	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.0	2 1.0	2 0.5	8 2.0	5 0.9	9 1.5	4 0.9	2 0.6
	肺	C33-C34	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	1 3.3	5 10.0	9 8.7	22 10.5	64 16.3	69 17.0	76 13.5	103 16.9	102 21.7
	皮膚	C43-C44	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	1 7.1	1 4.5	1 3.3	1 2.0	1 1.0	3 1.4	6 1.5	8 2.0	14 2.5	8 1.3	10 2.1
	乳房	C50	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.5	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	前立腺	C61	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	6 5.8	26 12.4	35 8.9	52 12.8	86 15.3	106 17.4	67 14.3
	膀胱	C67	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	0 0.0	2 4.0	0 0.0	5 2.4	6 1.5	17 4.2	14 2.5	19 3.1	17 3.6
	腎・尿路（膀胱除く）	C64-C66 C68	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	1 7.1	0 0.0	2 6.7	7 14.0	3 2.9	7 3.3	19 4.8	9 2.2	20 3.6	15 2.5	14 3.0
	脳・中枢神経系	C70-C72	1 50.0	1 33.3	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	2 14.3	1 4.5	0 0.0	0 0.0	0 0.0	1 0.5	1 0.3	3 0.7	2 0.4	3 0.5	1 0.2
	甲状腺	C73	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	1 7.1	0 0.0	6 20.0	1 2.0	3 2.9	8 3.8	6 1.5	3 0.7	3 0.5	1 0.2	0 0.0
	悪性リンパ腫	C81-C85 C96	0 0.0	0 0.0	2 66.7	0 0.0	0 0.0	0 0.0	1 11.1	3 21.4	1 4.5	4 13.3	2 4.0	3 2.9	4 1.9	15 3.8	7 1.7	18 3.2	11 1.8	7 1.5
	多発性骨髄腫	C88-C90	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	4 1.9	5 1.3	6 1.5	2 0.4	5 0.8	1 0.2
	白血病	C91-C95	1 50.0	2 66.7	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	1 4.5	1 3.3	0 0.0	2 1.9	1 0.5	4 1.0	5 1.2	9 1.6	8 1.3	4 0.9
女	全部位	C00-C96	1 100.0	0 0.0	3 100.0	4 100.0	3 100.0	4 100.0	19 100.0	40 100.0	60 100.0	97 100.0	139 100.0	156 100.0	192 100.0	216 100.0	235 100.0	289 100.0	323 100.0	435 100.0
	口腔・咽頭	C00-C14	0 0.0	0 0.0	0 0.0	1 25.0	0 0.0	1 25.0	0 0.0	0 0.0	0 0.0	3 3.1	3 2.2	1 0.6	0 0.0	2 0.9	0 0.0	1 0.4	8 2.5	
	食道	C15	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.7	1 0.6	1 0.5	1 0.5	1 0.4	3 1.0	4 1.2	
	胃	C16	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	5 12.5	4 6.7	3 3.1	12 8.6	17 10.9	22 11.5	31 14.4	33 14.0	55 19.0	41 12.7	
	大腸（結腸・直腸）	C18-C20	0 0.0	0 0.0	0 0.0	1 25.0	0 0.0	0 0.0	0 0.0	1 2.5	6 10.0	9 9.3	19 13.7	18 11.5	30 15.6	35 16.2	46 19.6	33 11.4	71 22.0	
	結腸	C18	0 0.0	0 0.0	0 0.0	1 25.0	0 0.0	0 0.0	0 0.0	1 2.5	4 6.7	4 4.1	11 7.9	10 6.4	21 10.9	24 11.1	33 14.0	27 9.3	56 17.3	
	直腸	C19-C20	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 3.3	5 5.2	8 5.8	8 5.1	9 4.7	11 5.1	13 5.5	6 2.1		
	肝および肝内胆管	C22	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.5	1 1.7	0 0.0	1 0.7	5 3.2	15 7.8	14 6.5	20 8.5	28 9.7		
	胆のう・胆管	C23-C24	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.7	1 1.0	2 1.4	2 1.3	5 2.6	9 4.2	9 3.8	15 5.2		
	膵臓	C25	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	4 2.9	4 2.6	4 2.1	9 4.2	17 7.2			
	喉頭	C32	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.7	0 0.0	0 0.0	0 0.0	1 0.5	1 0.5	1 0.4	1 0.4		
	肺	C33-C34	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.5	1 1.7	4 4.1	9 6.5	11 7.1	23 12.0	28 13.0	38 16.2		
	皮膚	C43-C44	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 5.3	2 5.0	2 3.3	0 0.0	2 1.4	6 3.8	3 1.6	2 0.9	4 1.7	8 2.8		
	乳房	C50	0 0.0	0 0.0	0 0.0	0 0.0	1 33.3	1 25.0	5 26.3	10 25.0	27 45.0	48 49.5	51 36.7	49 31.4	39 20.3	36 16.7	24 10.2	28 9.7		
	子宮	C53-C55	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	4 21.1	4 10.0	5 8.3	13 13.4	11 7.9	17 10.9	7 3.6	7 3.2	4 1.7	5 1.7		
	子宮頸部	C53	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 10.5	2 5.0	2 3.3	7 7.2	5 3.6	6 3.8	4 2.1	3 1.4	1 0.4	3 1.0		
	子宮体部	C54	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 10.5	2 5.0	2 3.3	6 6.2	6 4.3	11 7.1	3 1.6	4 1.9	3 1.3	2 0.7		
	卵巣	C56	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 5.3	2 5.0	3 5.0	5 5.2	8 5.8	6 3.8	12 6.3	4 1.9	3 1.3	3 1.0		
	膀胱	C67	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.5	3 1.4	2 0.9	2 0.7		
	腎・尿路（膀胱除く）	C64-C66 C68	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.5	1 1.7	1 1.0	1 0.7	5 3.2	4 2.1	3 1.4	6 2.6		
	脳・中枢神経系	C70-C72	1 100.0	0 0.0	1 33.3	0 0.0	0 0.0	0 0.0	1 5.3	1 2.5	0 0.0	1 1.0	1 0.7	0 0.0	1 0.5	0 0.0	1 0.4	4 1.4		
	甲状腺	C73	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	4 21.1	4 10.0	7 11.7	4 4.1	8 5.8	7 4.5	11 5.7	9 4.2	8 3.4	13 4.5		
悪性リンパ腫	C81-C85 C96	0 0.0	0 0.0	1 33.3	1 25.0	1 33.3	1 25.0	1 5.3	5 12.5	0 0.0	2 2.1	3 2.2	4 2.6	7 3.6	7 3.2	9 3.8	14 4.8			
多発性骨髄腫	C88-C90	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	3 1.6	2 0.9	4 1.7	3 1.0			
白血病	C91-C95	0 0.0	0 0.0	1 33.3	1 25.0	0 0.0	1 25.0	1 5.3	3 7.5	0 0.0	1 1.0	1 0.7	0 0.0	0 0.0	4 1.9	3 1.3	3 1.0			
男女計	全部位	C00-C96	3 100.0	3 100.0	6 100.0	7 100.0	8 100.0	13 100.0	33 100.0	62 100.0	90 100.0	147 100.0	243 100.0	366 100.0	584 100.0	623 100.0	796 100.0	898 100.0	793 100.0	756 100.0
	口腔・咽頭	C00-C14	0 0.0																	

表2. 年齢階級別罹患数、罹患割合（%）； 部位別、性別

B. 上皮内がんを含む

2009年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
			罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)	罹患数 割合 (%)
男	全部位	C00-C96 D00-D09	2 100.0	3 100.0	3 100.0	3 100.0	5 100.0	9 100.0	14 100.0	23 100.0	33 100.0	56 100.0	111 100.0	230 100.0	417 100.0	437 100.0	582 100.0	637 100.0	494 100.0	327 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	3 2.7	10 4.3	10 2.4	14 3.2	13 2.2	13 2.0	5 1.0	7 2.1
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 22.2	0 0.0	5 21.7	4 12.1	13 23.2	32 28.8	45 19.6	79 18.9	69 15.8	90 15.5	93 14.6	75 15.2	37 11.3
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	4 17.4	3 9.1	8 14.3	17 15.3	30 13.0	43 10.3	43 9.8	65 11.2	68 10.7	54 10.9	29 8.9
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	1 4.3	1 3.0	5 8.9	15 13.5	15 6.5	36 8.6	26 5.9	25 4.3	25 3.9	21 4.3	8 2.5
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.3	1 3.0	5 8.9	9 8.1	22 9.6	64 15.3	69 15.8	76 13.1	103 16.2	102 20.7	83 25.4
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	1 7.1	1 4.3	1 3.0	1 1.8	2 1.8	3 1.3	6 1.4	11 2.5	16 2.7	10 1.6	16 3.2	8 2.5
	乳房	C50 D05	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.4	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	膀胱	C67 D090	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.3	1 3.0	3 5.4	0 0.0	14 6.1	16 3.8	28 6.4	20 3.4	30 4.7	23 4.7	21 6.4
女	全部位	C00-C96 D00-D09	1 100.0	0 0.0	4 100.0	4 100.0	4 100.0	17 100.0	25 100.0	59 100.0	80 100.0	119 100.0	152 100.0	170 100.0	207 100.0	228 100.0	249 100.0	303 100.0	339 100.0	439 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.7	1 0.6	1 0.5	2 0.9	2 0.8	3 1.0	4 1.2	2 0.5
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	1 25.0	0 0.0	1 5.9	0 0.0	1 1.7	10 12.5	11 9.2	21 13.8	22 12.9	35 16.9	38 16.7	49 19.7	37 12.2	77 22.7	89 20.3
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	1 25.0	0 0.0	1 5.9	0 0.0	1 1.7	5 6.3	6 5.0	13 8.6	11 6.5	25 12.1	27 11.8	36 14.5	29 9.6	61 18.0	68 15.5
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	5 6.3	5 4.2	8 5.3	11 6.5	10 4.8	11 4.8	13 5.2	8 2.6	16 4.7	21 4.8
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.7	1 1.3	4 3.4	9 5.9	11 6.5	23 11.1	28 12.3	38 15.3	36 11.9	38 11.2	42 9.6
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.0	2 3.4	2 2.5	0 0.0	2 1.3	6 3.5	4 1.9	4 1.8	5 2.0	13 4.3	14 4.1	10 2.3
	乳房	C50 D05	0 0.0	0 0.0	1 25.0	0 0.0	1 25.0	1 5.9	6 24.0	15 25.4	34 42.5	60 50.4	59 38.8	56 32.9	44 21.3	39 17.1	30 12.0	28 9.2	30 8.9	22 5.0
	子宮	C53-C55 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 25.0	12 70.6	9 36.0	18 30.5	14 17.5	21 17.6	14 9.2	19 11.2	9 4.3	8 3.5	5 2.0	5 1.7	10 3.0	13 3.0
子宮頸部	C53 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 25.0	12 70.6	7 28.0	16 27.1	11 13.8	15 12.6	8 5.3	8 4.7	6 2.9	4 1.8	2 0.8	3 1.0	9 2.7	4 0.9	
膀胱	C67 D090	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.6	2 1.0	4 1.8	3 1.2	5 1.7	9 2.7	13 3.0	
男女計	全部位	C00-C96 D00-D09	3 100.0	3 100.0	7 100.0	7 100.0	9 100.0	26 100.0	39 100.0	82 100.0	113 100.0	175 100.0	263 100.0	400 100.0	624 100.0	665 100.0	831 100.0	940 100.0	833 100.0	766 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	4 1.5	11 2.8	11 1.8	16 2.4	15 1.8	16 1.7	9 1.1	9 1.2
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	1 14.3	0 0.0	3 11.5	0 0.0	6 7.3	14 12.4	24 13.7	53 20.2	67 16.8	114 18.3	107 16.1	139 16.7	130 13.8	152 18.3	126 16.5
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	1 14.3	0 0.0	2 7.7	0 0.0	5 6.1	8 7.1	14 8.0	30 11.4	41 10.3	68 10.9	70 10.5	101 12.2	97 10.3	115 13.8	97 12.7
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	0 0.0	1 1.2	6 5.3	10 5.7	23 8.7	26 6.5	46 7.4	37 5.6	38 4.6	33 3.5	37 4.4	29 3.8
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 2.4	2 1.8	9 5.1	18 6.8	33 8.3	87 13.9	97 14.6	114 13.7	139 14.8	140 16.8	125 16.3
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	2 5.1	3 3.7	3 2.7	1 0.6	4 1.5	9 2.3	10 1.6	15 2.3	21 2.5	23 2.5	30 3.6	18 2.4
	乳房	C50 D05	0 0.0	0 0.0	1 14.3	0 0.0	1 11.1	1 3.8	6 15.4	15 18.3	34 30.1	60 34.3	59 22.4	57 14.3	44 7.1	39 5.9	30 3.6	28 3.0	30 3.6	22 2.9
	子宮	C53-C55 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	12 46.2	9 23.1	18 22.0	14 12.4	21 12.0	14 5.3	19 4.8	9 1.4	8 1.2	5 0.6	5 0.5	10 1.2	13 1.7
	子宮頸部	C53 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	12 46.2	7 17.9	16 19.5	11 9.7	15 8.6	8 3.0	8 2.0	6 1.0	4 0.6	2 0.2	3 0.3	9 1.1	4 0.5
	膀胱	C67 D090	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.2	1 0.9	3 1.7	0 0.0	15 3.8	18 2.9	32 4.8	23 2.8	35 3.7	32 3.8	34 4.4

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

A. 上皮内がんを除く

2009年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96	11.8	15.1	14.1	15.3	25.9	42.2	54.3	76.8	122.3	203.6	406.9	713.9	1,346.5	1,668.7	2,867.7	3,325.1	3,525.6	4,244.9	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	5.1	0.0	0.0	3.9	7.0	4.1	12.2	11.7	20.4	30.9	32.8	25.6	43.7	22.5	39.7	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	34.0	34.3	41.0	66.5	60.1	37.5	79.3
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	10.5	20.4	36.6	90.0	149.6	261.1	377.2	644.1	704.3	705.1	740.5
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	14.0	8.2	32.6	105.6	115.6	223.3	241.9	424.3	447.7	495.1	489.3
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	10.5	4.1	16.3	58.7	74.8	113.4	155.8	301.6	322.1	352.6	383.5
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.5	4.1	16.3	47.0	40.8	109.9	86.1	122.7	125.6	142.5	105.8
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	0.0	12.2	27.4	37.4	106.5	86.1	204.5	174.7	135.0	198.4
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	15.7	17.0	17.2	41.0	86.9	98.3	157.5	238.0
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	8.2	12.2	3.9	40.8	68.7	41.0	81.8	142.0	202.5	211.6
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.8	6.9	32.8	25.6	49.1	30.0	26.4
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.1	20.4	35.2	74.8	219.8	282.9	388.5	562.4	765.1	1,097.6
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.9	3.5	4.1	4.1	3.9	10.2	20.6	32.8	71.6	43.7	75.0	92.6
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	88.4	120.2	213.2	439.6	578.8	502.6	357.0
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	8.1	0.0	17.0	20.6	69.7	71.6	103.7	127.5	224.8
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.9	0.0	8.2	28.5	11.7	23.8	65.3	36.9	102.2	81.9	105.0	132.2
	脳・中枢神経系	C70-C72	5.9	5.0	0.0	0.0	0.0	0.0	4.7	7.8	3.5	0.0	0.0	0.0	3.4	3.4	12.3	10.2	16.4	7.5	39.7
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.9	0.0	24.5	4.1	11.7	27.2	20.6	12.3	15.3	16.4	7.5	0.0
	悪性リンパ腫	C81-C85 C96	0.0	0.0	9.4	0.0	0.0	0.0	4.7	11.6	3.5	16.3	8.1	11.7	13.6	51.5	28.7	92.0	60.1	52.5	119.0
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	17.2	24.6	10.2	27.3	7.5	39.7
	白血病	C91-C95	5.9	10.1	0.0	0.0	0.0	0.0	4.7	0.0	3.5	4.1	0.0	7.8	3.4	13.7	20.5	46.0	43.7	30.0	26.4
女	全部位	C00-C96	6.1	0.0	15.0	21.9	15.4	18.3	76.2	143.7	241.0	389.9	540.5	523.5	649.9	807.1	988.9	1,216.1	1,596.5	2,017.6	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	5.5	0.0	4.6	0.0	0.0	0.0	12.1	11.7	3.4	0.0	7.5	0.0	4.2	39.5	46.4	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	3.4	3.7	4.2	12.6	19.8	9.3
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	16.1	12.1	46.7	57.0	74.5	115.8	138.9	231.4	202.6	389.6
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	3.6	24.1	36.2	73.9	60.4	101.6	130.8	193.6	138.9	350.9	408.2
	結腸	C18	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	3.6	16.1	16.1	42.8	33.6	71.1	89.7	138.9	113.6	276.8	310.8
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	20.1	31.1	26.8	30.5	41.1	54.7	25.2	74.1	97.4	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.0	0.0	3.9	16.8	50.8	52.3	84.2	117.8	98.9	106.7
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.0	7.8	6.7	16.9	33.6	37.9	63.1	113.7	176.3
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	13.4	13.5	33.6	71.5	58.9	103.8	143.8
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	3.4	3.7	4.2	4.2	0.0	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.0	16.1	35.0	36.9	77.9	104.6	159.9	151.5	187.8	194.8
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	7.2	8.0	0.0	7.8	20.1	10.2	7.5	16.8	33.7	39.5	37.1
	乳房	C50	0.0	0.0	0.0	0.0	5.1	4.6	20.0	35.9	108.4	193.0	198.3	164.4	132.0	134.5	101.0	117.8	143.3	102.0	
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	14.4	20.1	52.3	42.8	57.0	23.7	26.2	16.8	21.0	49.4	60.3
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	7.2	8.0	28.1	19.4	20.1	13.5	11.2	4.2	12.6	44.5	18.6
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	7.2	8.0	24.1	23.3	36.9	10.2	14.9	12.6	8.4	4.9	27.8
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	7.2	12.0	20.1	31.1	20.1	40.6	14.9	12.6	12.6	19.8	32.5
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	11.2	8.4	8.4	29.7	55.7
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.0	4.0	3.9	16.8	13.5	11.2	25.2	37.9	39.5	46.4
	脳・中枢神経系	C70-C72	6.1	0.0	5.0	0.0	0.0	0.0	0.0	4.0	3.6	0.0	4.0	3.9	0.0	3.4	0.0	4.2	16.8	9.9	18.6
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	14.4	28.1	16.1	31.1	23.5	37.2	33.6	33.7	54.7	19.8	32.5
悪性リンパ腫	C81-C85 C96	0.0	0.0	5.0	5.5	5.1	4.6	4.0	18.0	0.0	8.0	11.7	13.4	23.7	26.2	37.9	58.9	74.1	46.4		
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	7.5	16.8	12.6	4.9	13.9	
白血病	C91-C95	0.0	0.0	5.0	5.5	0.0	4.6	4.0	10.8	0.0	4.0	3.9	0.0	0.0	0.0	14.9	12.6	12.6	14.8	37.1	
男女計	全部位	C00-C96	9.0	7.8	14.5	18.5	20.6	30.1	65.1	109.7	182.1	297.3	473.9	618.0	995.7	1,217.9	1,837.2	2,134.1	2,362.7	2,596.0	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	5.3	0.0	2.3	2.0	3.5	2.0	12.1	11.7	11.8	15.3	19.5	11.5	21.4	32.8	44.6	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	18.6	18.8	21.5	32.3	33.3	26.8	27.5	
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	14.2	18.2	24.3	68.3	103.0	167.1	240.5	367.0	437.3	402.2	480.7
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	2.6	0.0	4.6	0.0	8.9	16.2	34.4	89.7	87.8	162.0	183.8	297.7	273.3	408.2	429.2	
	結腸	C18	0.0	0.0	0.0	2.6	0.0	2.3	0.0	7.1	10.1	16.2	50.7	54.0	92.1	121.2	212.3	204.4	306.9	329.6	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.8	6.1	18.2	39.0	33.8	69.9	62.6	85.4	68.9	101.3	99.6	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	2.6</														

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2009年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	C00-C96 D00-D09	11.8	15.1	14.1	15.3	25.9	42.2	54.3	80.3	134.5	228.0	434.3	781.9	1,432.3	1,791.7	2,975.0	3,478.0	3,705.6	4,324.3
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	34.0	34.3	57.4	66.5	71.0	37.5	92.6
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	9.4	0.0	17.4	16.3	52.9	125.2	153.0	271.4	282.9	460.1	507.8	562.6	489.3
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	4.7	0.0	14.0	12.2	32.6	66.5	102.0	147.7	176.3	332.3	371.3	405.1	383.5
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.5	4.1	20.4	58.7	51.0	123.7	106.6	127.8	136.5	157.5	105.8
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.1	20.4	35.2	74.8	219.8	282.9	388.5	562.4	765.1	1,097.6
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	4.7	3.9	3.5	4.1	4.1	7.8	10.2	20.6	45.1	81.8	54.6	120.0	105.8
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.1	12.2	0.0	47.6	55.0	114.8	102.2	163.8	172.5	277.7
女	全部位	C00-C96 D00-D09	6.1	0.0	20.0	21.9	20.5	77.8	100.2	211.9	321.3	478.4	591.0	570.4	700.7	851.9	1,047.8	1,275.0	1,675.6	2,036.2
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	3.4	7.5	8.4	12.6	19.8	9.3
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	5.5	0.0	4.6	0.0	3.6	40.2	44.2	81.7	73.8	118.5	142.0	206.2	155.7	380.6	412.8
	結腸 *1	C18 D010	0.0	0.0	0.0	5.5	0.0	4.6	0.0	3.6	20.1	24.1	50.6	36.9	84.6	100.9	151.5	122.0	301.5	315.4
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.1	20.1	31.1	36.9	33.9	41.1	54.7	33.7	79.1	97.4
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.0	16.1	35.0	36.9	77.9	104.6	159.9	151.5	187.8	194.8
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	4.0	7.2	8.0	0.0	7.8	20.1	13.5	14.9	21.0	54.7	69.2	46.4
	乳房	C50 D05	0.0	0.0	5.0	0.0	5.1	4.6	24.1	53.9	136.5	241.2	229.4	187.9	148.9	145.7	126.2	117.8	148.3	102.0
	子宮	C53-C55 D06	0.0	0.0	0.0	0.0	5.1	54.9	36.1	64.7	56.2	84.4	54.4	63.8	30.5	29.9	21.0	21.0	49.4	60.3
男女計	子宮頸部	C53 D06	0.0	0.0	0.0	0.0	5.1	54.9	28.1	57.5	44.2	60.3	31.1	26.8	20.3	14.9	8.4	12.6	44.5	18.6
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.8	14.9	12.6	21.0	44.5	60.3
	全部位	C00-C96 D00-D09	9.0	7.8	16.9	18.5	23.2	60.2	76.9	145.1	228.6	354.0	512.9	675.5	1,063.8	1,300.0	1,918.0	2,233.9	2,481.9	2,630.3
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	18.6	18.8	31.3	34.6	38.0	26.8	30.9
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	2.6	0.0	6.9	0.0	10.6	28.3	48.5	103.4	113.1	194.4	209.2	320.8	308.9	452.9	432.7
	結腸 *1	C18 D010	0.0	0.0	0.0	2.6	0.0	4.6	0.0	8.9	16.2	28.3	58.5	69.2	115.9	136.8	233.1	230.5	342.6	333.1
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.8	12.1	20.2	44.9	43.9	78.4	72.3	87.7	78.4	110.2	99.6
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.0	18.2	35.1	55.7	148.3	189.6	263.1	330.3	417.1	429.2
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	2.3	3.9	5.3	6.1	2.0	7.8	15.2	17.0	29.3	48.5	54.7	89.4	61.8
	乳房	C50 D05	0.0	0.0	2.4	0.0	2.6	2.3	11.8	26.6	68.8	121.4	115.1	96.3	75.0	76.2	69.2	66.5	89.4	75.5
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.0	6.1	0.0	25.3	30.7	62.6	53.1	83.2	95.3	116.8

*1 粘膜がんを含む

表4. 発見経緯（%）； 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	5,302	4.2	8.1	30.6	0.1	57.0
口腔・咽頭	C00-C14	83	0.0	1.2	15.7	0.0	83.1
食道	C15	79	1.3	10.1	35.4	0.0	53.2
胃	C16	945	5.3	12.0	29.6	0.1	53.0
大腸（結腸・直腸）	C18-C20	810	4.8	8.8	23.2	0.1	63.1
結腸	C18	559	4.3	8.9	27.2	0.2	59.4
直腸	C19-C20	251	6.0	8.4	14.3	0.0	71.3
肝および肝内胆管	C22	294	0.0	1.7	65.0	0.0	33.3
胆のう・胆管	C23-C24	193	0.0	2.6	36.3	0.0	61.1
膵臓	C25	231	0.4	0.4	27.7	0.0	71.4
喉頭	C32	38	0.0	2.6	13.2	0.0	84.2
肺	C33-C34	732	3.1	8.9	39.1	0.0	48.9
皮膚	C43-C44	108	0.0	0.0	9.3	0.0	90.7
乳房	C50	369	16.0	9.2	13.6	0.0	61.2
乳房（女性のみ）	C50	368	16.0	9.2	13.6	0.0	61.1
子宮	C53-C55	100	7.0	5.0	11.0	0.0	77.0
子宮頸部	C53	48	10.4	8.3	10.4	0.0	70.8
子宮体部	C54	48	4.2	2.1	10.4	0.0	83.3
卵巣	C56	58	1.7	0.0	19.0	0.0	79.3
前立腺	C61	404	10.1	15.8	35.9	0.0	38.1
膀胱	C67	121	0.0	0.8	26.4	0.0	72.7
腎・尿路（膀胱除く）	C64-C66 C68	151	0.0	10.6	43.7	0.0	45.7
脳・中枢神経系	C70-C72	37	0.0	0.0	8.1	0.0	91.9
甲状腺	C73	121	0.0	13.2	50.4	0.0	36.4
悪性リンパ腫	C81-C85 C96	166	1.8	6.0	22.3	0.0	69.9
多発性骨髄腫	C88-C90	37	0.0	5.4	56.8	0.0	37.8
白血病	C91-C95	70	0.0	11.4	32.9	0.0	55.7

表4. 発見経緯（%）； 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	5,657	4.7	8.5	30.3	0.1	56.4
食道	C15 D001	89	1.1	10.1	38.2	0.0	50.6
大腸（結腸・直腸）*1	C18-C20 D010-D012	920	5.2	10.0	24.7	0.1	60.0
結腸 *1	C18 D010	638	5.2	10.2	28.2	0.2	56.3
直腸 *1	C19-C20 D011-D012	282	5.3	9.6	16.7	0.0	68.4
肺	C33-C34 D021-D022	732	3.1	8.9	39.1	0.0	48.9
皮膚	C43-C44 D030-D049	140	0.0	0.0	10.0	0.0	90.0
乳房	C50 D05	425	17.6	10.6	13.6	0.0	58.1
乳房（女性のみ）	C50 D05	424	17.7	10.6	13.7	0.0	58.0
子宮	C53-C55 D06	158	14.6	12.7	15.2	0.0	57.6
子宮頸部	C53 D06	106	19.8	17.9	17.0	0.0	45.3
膀胱	C67 D090	191	0.0	1.6	23.6	0.0	74.9

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	5,302	46.2	9.7	14.9	17.6	11.5
口腔・咽頭	C00-C14	83	41.0	21.7	26.5	4.8	6.0
食道	C15	79	41.8	15.2	24.1	10.1	8.9
胃	C16	945	57.8	9.8	8.3	16.2	7.9
大腸（結腸・直腸）	C18-C20	810	45.2	17.0	11.9	18.8	7.2
結腸	C18	559	44.5	15.0	13.6	19.0	7.9
直腸	C19-C20	251	46.6	21.5	8.0	18.3	5.6
肝および肝内胆管	C22	294	55.4	1.7	22.4	10.2	10.2
胆のう・胆管	C23-C24	193	19.7	4.1	42.0	23.8	10.4
膵臓	C25	231	7.4	3.5	31.2	42.9	15.2
喉頭	C32	38	63.2	7.9	15.8	5.3	7.9
肺	C33-C34	732	31.3	12.2	13.5	33.1	10.0
皮膚	C43-C44	108	86.1	0.9	9.3	0.9	2.8
乳房	C50	369	64.0	23.3	5.4	5.1	2.2
乳房（女性のみ）	C50	368	64.1	23.4	5.4	4.9	2.2
子宮	C53-C55	100	48.0	7.0	31.0	5.0	9.0
子宮頸部	C53	48	39.6	8.3	33.3	8.3	10.4
子宮体部	C54	48	60.4	6.3	29.2	0.0	4.2
卵巣	C56	58	13.8	1.7	43.1	31.0	10.3
前立腺	C61	404	66.1	0.5	16.8	10.1	6.4
膀胱	C67	121	68.6	0.8	12.4	4.1	14.0
腎・尿路（膀胱除く）	C64-C66 C68	151	63.6	0.7	18.5	11.9	5.3
脳・中枢神経系	C70-C72	37	43.2	0.0	2.7	2.7	51.4
甲状腺	C73	121	51.2	30.6	9.1	5.8	3.3
悪性リンパ腫	C81-C85 C96	166	24.7	0.0	15.7	29.5	30.1
多発性骨髄腫	C88-C90	37	5.4	0.0	0.0	5.4	89.2
白血病	C91-C95	70	0.0	0.0	0.0	2.9	97.1

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	5,657	6.2	43.3	9.1	14.0	16.5	10.9
食道	C15 D001	89	11.2	37.1	13.5	21.3	9.0	7.9
大腸（結腸・直腸）*1	C18-C20 D010-D012	920	11.8	39.8	15.0	10.4	16.5	6.4
結腸 *1	C18 D010	638	12.2	39.0	13.2	11.9	16.6	7.1
直腸 *1	C19-C20 D011-D012	282	11.0	41.5	19.1	7.1	16.3	5.0
肺	C33-C34 D021-D022	732	0.0	31.3	12.2	13.5	33.1	10.0
皮膚	C43-C44 D030-D049	140	22.9	66.4	0.7	7.1	0.7	2.1
乳房	C50 D05	425	13.2	55.5	20.2	4.7	4.5	1.9
乳房（女性のみ）	C50 D05	424	13.2	55.7	20.3	4.7	4.2	1.9
子宮	C53-C55 D06	158	36.1	30.4	4.4	19.6	3.2	6.3
子宮頸部	C53 D06	106	53.8	17.9	3.8	15.1	3.8	5.7
膀胱	C67 D090	191	36.6	43.5	0.5	7.9	2.6	8.9

*1 粘膜がんを含む

表6. 受療割合（%）； 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	5,302	56.7	11.8	40.7	19.3
口腔・咽頭	C00-C14	83	54.2	62.7	57.8	14.5
食道	C15	79	44.3	36.7	51.9	17.7
胃	C16	945	75.7	0.2	23.6	16.0
大腸（結腸・直腸）	C18-C20	810	85.4	0.5	32.3	12.2
結腸	C18	559	83.4	0.0	30.6	14.3
直腸	C19-C20	251	90.0	1.6	36.3	7.6
肝および肝内胆管	C22	294	14.3	1.7	52.4	27.2
胆のう・胆管	C23-C24	193	50.3	1.0	32.6	31.6
膵臓	C25	231	33.8	4.8	46.3	37.7
喉頭	C32	38	39.5	57.9	44.7	10.5
肺	C33-C34	732	31.7	21.3	40.4	30.9
皮膚	C43-C44	108	90.7	5.6	4.6	7.4
乳房	C50	369	90.8	35.0	76.4	4.3
乳房（女性のみ）	C50	368	91.0	34.8	76.4	4.3
子宮	C53-C55	100	66.0	24.0	27.0	17.0
子宮頸部	C53	48	50.0	45.8	25.0	16.7
子宮体部	C54	48	85.4	4.2	31.3	12.5
卵巣	C56	58	63.8	3.4	70.7	15.5
前立腺	C61	404	23.8	23.5	62.9	12.1
膀胱	C67	121	72.7	6.6	29.8	24.0
腎・尿路（膀胱除く）	C64-C66 C68	151	78.8	3.3	20.5	13.2
脳・中枢神経系	C70-C72	37	56.8	51.4	59.5	35.1
甲状腺	C73	121	79.3	3.3	7.4	19.8
悪性リンパ腫	C81-C85 C96	166	14.5	15.1	71.1	17.5
多発性骨髄腫	C88-C90	37	0.0	0.0	64.9	32.4
白血病	C91-C95	70	0.0	0.0	77.1	20.0

*1 重複を含むため合計は100%にならない

表6. 受療割合（%）； 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	5,657	58.9	11.5	38.9	18.5
食道	C15 D001	89	41.6	32.6	46.1	21.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	920	86.7	0.4	28.5	11.2
結腸 *2	C18 D010	638	84.8	0.0	26.8	13.2
直腸 *2	C19-C20 D011-D012	282	91.1	1.4	32.3	6.7
肺	C33-C34 D021-D022	732	31.7	21.3	40.4	30.9
皮膚	C43-C44 D030-D049	140	92.1	4.3	3.6	6.4
乳房	C50 D05	425	90.8	36.2	69.6	4.9
乳房（女性のみ）	C50 D05	424	91.0	36.1	69.6	5.0
子宮	C53-C55 D06	158	74.7	15.2	17.1	14.6
子宮頸部	C53 D06	106	71.7	20.8	11.3	13.2
膀胱	C67 D090	191	82.2	4.7	30.9	15.2

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	3,006	80.8	8.3	2.1	5.1	3.7
口腔・咽頭	C00-C14	45	80.0	8.9	2.2	6.7	2.2
食道	C15	35	77.1	5.7	5.7	11.4	0.0
胃	C16	715	85.7	6.3	1.1	2.7	4.2
大腸（結腸・直腸）	C18-C20	692	80.6	8.7	1.9	4.2	4.6
結腸	C18	466	80.3	8.8	2.1	3.9	4.9
直腸	C19-C20	226	81.4	8.4	1.3	4.9	4.0
肝および肝内胆管	C22	42	61.9	11.9	0.0	9.5	16.7
胆のう・胆管	C23-C24	97	52.6	8.2	1.0	34.0	4.1
膵臓	C25	78	37.2	7.7	3.8	50.0	1.3
喉頭	C32	15	66.7	13.3	13.3	6.7	0.0
肺	C33-C34	232	89.2	4.3	0.9	3.9	1.7
皮膚	C43-C44	98	92.9	5.1	0.0	1.0	1.0
乳房	C50	335	91.0	4.2	0.9	0.6	3.3
乳房（女性のみ）	C50	335	91.0	4.2	0.9	0.6	3.3
子宮	C53-C55	66	90.9	6.1	0.0	0.0	3.0
子宮頸部	C53	24	95.8	4.2	0.0	0.0	0.0
子宮体部	C54	41	90.2	7.3	0.0	0.0	2.4
卵巣	C56	37	48.6	40.5	8.1	0.0	2.7
前立腺	C61	96	78.1	16.7	3.1	0.0	2.1
膀胱	C67	88	77.3	12.5	6.8	1.1	2.3
腎・尿路（膀胱除く）	C64-C66 C68	119	87.4	8.4	1.7	0.0	2.5
脳・中枢神経系	C70-C72	21	52.4	33.3	9.5	0.0	4.8
甲状腺	C73	96	84.4	9.4	3.1	1.0	2.1
悪性リンパ腫	C81-C85 C96	24	33.3	29.2	16.7	8.3	12.5
多発性骨髄腫	C88-C90	0	...	...	...	...	...
白血病	C91-C95	0	...	...	...	...	...

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	3, 333	82. 3	7. 6	2. 1	4. 6	3. 5
食道	C15 D001	37	78. 4	5. 4	5. 4	10. 8	0. 0
大腸（結腸・直腸）*1	C18-C20 D010-D012	798	82. 6	7. 5	2. 1	3. 6	4. 1
結腸 *1	C18 D010	541	82. 1	7. 6	2. 6	3. 3	4. 4
直腸 *1	C19-C20 D011-D012	257	83. 7	7. 4	1. 2	4. 3	3. 5
肺	C33-C34 D021-D022	232	89. 2	4. 3	0. 9	3. 9	1. 7
皮膚	C43-C44 D030-D049	129	94. 6	3. 9	0. 0	0. 8	0. 8
乳房	C50 D05	386	91. 2	3. 9	0. 8	0. 5	3. 6
乳房（女性のみ）	C50 D05	386	91. 2	3. 9	0. 8	0. 5	3. 6
子宮	C53-C55 D06	118	94. 1	3. 4	0. 8	0. 0	1. 7
子宮頸部	C53 D06	76	97. 4	1. 3	1. 3	0. 0	0. 0
膀胱	C67 D090	157	85. 4	7. 6	3. 8	0. 6	2. 5

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別

A. 上皮内がんを除く

2009年

部位	ICD-10	罹患／死亡比 (ID比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	2.28	2.38	2.32	9.6	13.9	11.4	2.3	2.5	2.4	2.1	2.3	2.2	84.9	80.5	83.1	79.0	75.7	77.6
口腔・咽頭	C00-C14	2.52	2.73	2.59	1.9	10.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	96.2	86.7	92.8	94.3	83.3	90.4
食道	C15	1.97	1.08	1.72	7.5	14.3	8.6	1.5	7.1	2.5	1.5	7.1	2.5	94.0	78.6	91.4	94.0	78.6	91.4
胃	C16	3.10	2.31	2.80	8.1	17.3	11.0	1.8	2.6	2.1	1.5	2.0	1.7	97.0	91.2	95.1	96.7	90.2	94.6
大腸（結腸・直腸）	C18-C20	3.33	2.75	3.05	7.0	13.7	9.9	1.7	2.2	1.9	1.7	2.0	1.8	94.7	88.2	91.9	94.0	88.0	91.4
結腸	C18	3.24	2.42	2.81	8.4	15.8	11.8	1.9	1.9	1.9	1.9	1.9	1.9	93.6	85.7	90.0	93.2	85.3	89.6
直腸	C19-C20	3.51	4.26	3.76	4.4	8.2	5.9	1.3	3.1	2.0	1.3	2.0	1.6	96.8	94.9	96.1	95.6	94.9	95.3
肝および肝内胆管	C22	1.25	1.52	1.35	10.1	18.8	13.7	3.9	4.7	4.2	3.9	3.9	3.9	21.8	15.6	19.2	20.1	13.3	17.3
胆のう・胆管	C23-C24	1.41	1.30	1.35	15.2	29.5	22.5	4.0	6.7	5.4	4.0	6.7	5.4	57.6	48.6	52.9	56.6	44.8	50.5
膵臓	C25	1.09	1.11	1.10	19.4	31.7	24.8	1.5	4.8	2.9	1.5	4.8	2.9	44.8	28.8	37.8	40.3	26.0	34.0
喉頭	C32	5.50	5.00	5.43	9.1	0.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	93.9	100.0	94.7	90.9	100.0	92.1
肺	C33-C34	1.42	2.06	1.56	17.0	19.5	17.8	4.5	4.3	4.4	4.1	4.3	4.2	76.3	78.8	77.0	49.3	55.4	51.2
皮膚	C43-C44	10.33	23.00	13.50	1.6	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
乳房	C50	1.00	6.27	6.18	0.0	2.4	2.4	0.0	0.5	0.5	0.0	0.5	0.5	100.0	98.1	98.1	100.0	95.4	95.4
子宮	C53-C55	-	3.85	3.85	-	6.0	6.0	-	0.0	0.0	-	0.0	0.0	-	92.0	92.0	-	90.0	90.0
子宮頸部	C53	-	6.86	6.86	-	2.1	2.1	-	0.0	0.0	-	0.0	0.0	-	95.8	95.8	-	93.8	93.8
子宮体部	C54	-	5.33	5.33	-	4.2	4.2	-	0.0	0.0	-	0.0	0.0	-	93.8	93.8	-	91.7	91.7
卵巣	C56	-	1.49	1.49	-	13.8	13.8	-	0.0	0.0	-	0.0	0.0	-	81.0	81.0	-	75.9	75.9
前立腺	C61	6.86	-	6.86	3.2	-	3.2	0.2	-	0.2	0.0	-	0.0	100.0	-	100.0	100.0	-	100.0
膀胱	C67	3.50	1.30	2.58	4.1	26.9	8.9	1.0	7.7	2.4	1.0	7.7	2.4	94.9	65.4	88.7	87.8	61.5	82.3
腎・尿路（膀胱除く）	C64-C66 C68	3.27	3.06	3.20	3.7	10.2	5.7	2.8	6.1	3.8	2.8	6.1	3.8	90.7	83.7	88.5	86.1	77.6	83.4
脳・中枢神経系	C70-C72	3.33	6.00	4.22	20.0	38.9	28.9	0.0	5.6	2.6	0.0	5.6	2.6	70.0	66.7	68.4	70.0	66.7	68.4
甲状腺	C73	...	10.75	15.25	0.0	4.7	3.3	0.0	1.2	0.8	0.0	1.2	0.8	100.0	94.2	95.9	94.4	83.7	86.9
悪性リンパ腫	C81-C85 C96	2.02	3.12	2.43	11.5	8.6	10.1	2.3	0.0	1.2	2.3	0.0	1.2	90.8	92.6	91.7	90.8	91.4	91.1
多発性骨髄腫	C88-C90	1.44	1.14	1.31	30.8	6.3	21.4	19.2	0.0	11.9	15.4	0.0	9.5	73.1	93.8	81.0	65.4	87.5	73.8
白血病	C91-C95	1.32	1.58	1.42	22.0	10.0	16.9	2.4	0.0	1.4	0.0	0.0	0.0	100.0	100.0	100.0	78.0	90.0	83.1

表8. 精度指標； 部位別、性別

B. 上皮内がんを含む

2009年

部位	ICD-10	罹患／死亡比 (ID比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	2.40	2.58	2.47	9.2	12.9	10.7	2.2	2.3	2.2	1.9	2.2	2.0	85.6	82.0	84.1	80.1	77.3	78.9
食道	C15 D001	2.21	1.23	1.94	6.7	12.5	7.7	1.3	6.3	2.2	1.3	6.3	2.2	94.7	81.3	92.3	94.7	81.3	92.3
大腸（結腸・直腸）*1	C18-C20 D010-D012	3.86	3.02	3.45	6.3	12.5	8.9	1.5	2.0	1.7	1.5	1.8	1.6	95.4	89.3	92.8	94.9	89.0	92.4
結腸 *1	C18 D010	3.80	2.65	3.20	7.4	14.4	10.5	1.6	1.8	1.7	1.6	1.8	1.7	94.5	87.0	91.2	94.2	86.6	90.9
直腸 *1	C19-C20 D011-D012	3.98	4.70	4.22	3.9	7.4	5.2	1.1	2.8	1.7	1.1	1.9	1.4	97.2	95.4	96.5	96.1	95.4	95.8
肺	C33-C34 D021-D022	1.42	2.06	1.56	17.0	19.5	17.8	4.5	4.3	4.4	4.1	4.3	4.2	76.3	78.8	77.0	49.3	55.4	51.2
皮膚	C43-C44 D030-D049	12.83	31.50	17.50	1.3	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
乳房	C50 D05	1.00	7.22	7.12	0.0	2.1	2.1	0.0	0.5	0.5	0.0	0.5	0.5	100.0	98.4	98.4	100.0	95.3	95.3
子宮	C53-C55 D06	-	6.08	6.08	-	3.8	3.8	-	0.0	0.0	-	0.0	0.0	-	94.9	94.9	-	91.8	91.8
子宮頸部	C53 D06	-	15.14	15.14	-	0.9	0.9	-	0.0	0.0	-	0.0	0.0	-	98.1	98.1	-	94.3	94.3
膀胱	C67 D090	5.61	1.85	4.04	2.5	18.9	5.7	0.6	5.4	1.5	0.6	5.4	1.5	96.8	75.7	92.8	92.4	73.0	88.7

*1 粘膜がんを含む

表9. 死亡数、死亡割合（％）、粗死亡率、年齢調整死亡率（人口10万対）および累積死亡率（人口100対）； 部位別、性別

2009年

部位	ICD-10	死亡数			死亡割合（％）			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C97	1,412	932	2,344	100.0	100.0	100.0	366.6	228.1	295.3	179.0	79.6	122.7	120.7	55.6	84.1	12.5	5.5	8.8
口腔・咽頭	C00-C14	21	11	32	1.5	1.2	1.4	5.5	2.7	4.0	3.2	0.6	1.9	2.3	0.4	1.3	0.2	0.0	0.1
食道	C15	34	13	47	2.4	1.4	2.0	8.8	3.2	5.9	4.8	1.0	2.8	3.4	0.7	2.0	0.4	0.1	0.2
胃	C16	212	133	345	15.0	14.3	14.7	55.0	32.6	43.5	27.0	9.4	17.3	18.0	6.4	11.7	1.9	0.6	1.2
大腸（結腸・直腸）	C18-C20	141	130	271	10.0	13.9	11.6	36.6	31.8	34.1	18.9	10.5	14.3	13.1	7.4	10.0	1.4	0.7	1.0
結腸	C18	96	107	203	6.8	11.5	8.7	24.9	26.2	25.6	12.5	8.7	10.4	8.8	6.0	7.3	0.9	0.6	0.7
直腸	C19-C20	45	23	68	3.2	2.5	2.9	11.7	5.6	8.6	6.3	1.8	3.9	4.3	1.3	2.7	0.5	0.1	0.3
肝および肝内胆管	C22	143	84	227	10.1	9.0	9.7	37.1	20.6	28.6	18.3	7.3	12.2	12.3	4.9	8.2	1.5	0.6	1.0
胆のう・胆管	C23-C24	70	81	151	5.0	8.7	6.4	18.2	19.8	19.0	7.9	5.3	6.4	5.1	3.2	4.0	0.4	0.2	0.3
膵臓	C25	123	94	217	8.7	10.1	9.3	31.9	23.0	27.3	16.3	7.6	11.5	11.0	5.1	7.8	1.1	0.6	0.9
喉頭	C32	6	1	7	0.4	0.1	0.3	1.6	0.2	0.9	0.7	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0
肺	C33-C34	378	112	490	26.8	12.0	20.9	98.1	27.4	61.7	45.5	8.3	24.3	29.8	5.6	16.0	2.9	0.6	1.7
皮膚	C43-C44	6	2	8	0.4	0.2	0.3	1.6	0.5	1.0	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
乳房	C50	1	59	60	0.1	6.3	2.6	0.3	14.4	7.6	0.2	8.5	4.5	0.1	6.5	3.4	0.0	0.7	0.4
子宮	C53-C55	-	26	26	-	2.8	1.1	-	6.4	-	-	3.9	-	-	3.0	-	-	0.3	-
子宮頸部	C53	-	7	7	-	0.8	0.3	-	1.7	-	-	1.6	-	-	1.2	-	-	0.1	-
子宮体部	C54	-	9	9	-	1.0	0.4	-	2.2	-	-	1.2	-	-	0.9	-	-	0.1	-
卵巣	C56	-	39	39	-	4.2	1.7	-	9.5	-	-	5.5	-	-	4.3	-	-	0.5	-
前立腺	C61	59	-	59	4.2	-	2.5	15.3	-	-	6.6	-	-	4.4	-	-	0.4	-	-
膀胱	C67	28	20	48	2.0	2.1	2.0	7.3	4.9	6.0	3.1	0.9	1.9	2.0	0.6	1.2	0.1	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	33	16	49	2.3	1.7	2.1	8.6	3.9	6.2	3.8	0.8	2.1	2.4	0.5	1.4	0.3	0.0	0.1
脳・中枢神経系	C70-C72	6	3	9	0.4	0.3	0.4	1.6	0.7	1.1	1.5	0.5	1.0	1.5	0.4	1.0	0.1	0.0	0.1
甲状腺	C73	0	8	8	0.0	0.9	0.3	0.0	2.0	1.0	0.0	0.4	0.3	0.0	0.2	0.2	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	43	26	69	3.0	2.8	2.9	11.2	6.4	8.7	5.4	1.9	3.4	3.5	1.2	2.2	0.3	0.1	0.2
多発性骨髄腫	C88-C90	18	14	32	1.3	1.5	1.4	4.7	3.4	4.0	2.5	1.2	1.8	1.8	0.8	1.3	0.3	0.1	0.2
白血病	C91-C95	31	19	50	2.2	2.0	2.1	8.0	4.7	6.3	3.9	2.5	3.0	2.6	1.9	2.1	0.2	0.2	0.2

表10. 年齢階級別死亡数、死亡割合(%) ; 部位別、性別

2009年

性別	部位	ICD-10	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上			
			死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)				
男	全部位	C00-C97	0	0.0	0	0.0	0	0.0	2	100.0	2	100.0	1	100.0	3	100.0	8	100.0	8	100.0	13	100.0	29	100.0	59	100.0	109	100.0	152	100.0	199	100.0	284	100.0	303	100.0	240	100.0		
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	1	7.7	1	3.4	2	3.4	2	1.8	3	2.0	2	1.0	4	1.4	4	1.3	1	0.4		
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	6.9	5	8.5	1	0.9	8	5.3	5	2.5	6	2.1	3	1.0	4	1.7		
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	15.4	2	15.4	6	20.7	4	6.8	18	16.5	20	13.2	33	16.6	51	18.0	40	13.2	34	14.2		
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	1	12.5	1	12.5	3	23.1	3	10.3	10	16.9	11	10.1	17	11.2	21	10.6	22	7.8	28	9.2	23	9.6		
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	2	15.4	3	10.3	4	6.8	10	9.2	13	8.6	11	5.5	13	4.6	22	7.3	17	7.1		
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	1	12.5	1	7.7	0	0.0	6	10.2	1	0.9	4	2.6	10	5.0	9	3.2	6	2.0	6	2.5		
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	3	10.3	3	5.1	16	14.7	17	11.2	29	14.6	31	10.9	28	9.2	15	6.3		
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	1	1.7	7	6.4	4	2.6	7	3.5	14	4.9	21	6.9	15	6.3		
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	25.0	2	15.4	2	6.9	9	15.3	8	7.3	11	7.2	18	9.0	29	10.2	22	7.3	18	7.5		
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0	0	0.0	0	0.0	3	1.0	1	0.4		
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	4	30.8	6	20.7	14	23.7	18	16.5	49	32.2	45	22.6	73	25.7	99	32.7	69	28.8				
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	1	0.5	1	0.4	0	0.0	2	0.8				
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	前立腺	C61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	1	1.7	5	4.6	3	2.0	7	3.5	8	2.8	14	4.6	20	8.3		
	膀胱	C67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	3	2.8	0	0.0	2	1.0	10	3.5	5	1.7	7	2.9		
	腎・尿路(膀胱除く)	C64-C66 C68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	1	0.5	1	0.4	0	0.0	0	0.0		
	脳・中枢神経系	C70-C72	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.4
	甲状腺	C73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	悪性リンパ腫	C81-C85 C96	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	1	1.7	3	2.8	3	2.0	5	2.5	9	3.2	12	4.0	7	2.9
	多発性骨髄腫	C88-C90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	5.1	2	1.8	3	2.0	4	2.0	2	0.7	2	0.7	2	0.8		
	白血病	C91-C95	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	12.5	0	0.0	0	0.0	0	0.0	1	1.7	2	1.8	2	1.3	3	1.5	11	3.9	4	1.3	6	2.5		
女	全部位	C00-C97	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	4	100.0	3	100.0	3	100.0	15	100.0	31	100.0	29	100.0	48	100.0	69	100.0	80	100.0	123	100.0	169	100.0	357	100.0		
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0	1	0.8	3	1.8	6	1.7	0	0.0		
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	6.9	1	2.1	0	0.0	0	0.0	2	1.6	2	1.2	6	1.7		
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	1	6.7	2	6.5	2	6.9	5	10.4	9	13.0	9	11.3	17	13.8	22	13.0	65	18.2		
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3	2	13.3	4	12.9	2	6.9	5	10.4	10	14.5	10	12.5	11	8.9	26	15.4	57	16.0		
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3	0	0.0	3	9.7	2	6.9	5	10.4	10	14.5	8	10.0	9	7.3	23	13.6	44	12.3				
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	13.3	1	3.2	0	0.0	0	0.0	2	2.5	2	1.6	3	1.8	13	3.6				
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0	5	10.4	12	17.4	13	16.3	16	13.0	15	8.9	22	6.2		
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.2	1	3.4	2	4.2	3	4.3	3	3.8	17	13.8	23	13.6	31	8.7				
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	9.7	3	10.3	3	6.3	6	8.7	15	18.8	11	8.9	19	11.2	34	9.5		
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3		
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	2	6.5	2	6.9	4	8.3	7	10.1	13	16.3	14	11.4	23	13.6	46	12.9		
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.										

表11. 年齢階級別死亡率（人口10万対）； 部位別、性別

2009年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C97	0.0	0.0	0.0	10.3	10.6	4.8	11.9	28.3	33.0	53.5	114.1	201.7	376.1	626.9	1,021.4	1,554.6	2,280.1	3,186.4	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.1	3.9	6.8	6.9	12.4	10.3	21.9	30.1	13.3	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	17.1	3.5	33.0	25.7	32.8	22.6	53.1
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	8.2	8.2	23.6	13.7	62.1	82.5	169.4	279.2	301.0	451.4	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.5	4.1	12.3	11.8	34.2	38.0	70.1	107.8	120.4	210.7	305.4	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	8.2	11.8	13.7	34.5	53.6	56.5	71.2	165.6	225.7	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.1	4.1	0.0	20.5	3.5	16.5	51.3	49.3	45.2	79.7	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	11.8	10.3	55.2	70.1	148.8	169.7	210.7	199.2	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	24.2	16.5	35.9	76.6	158.0	199.2
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	8.2	8.2	7.9	30.8	27.6	45.4	92.4	158.7	165.6	239.0	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	22.6	13.3	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	16.5	23.6	47.9	62.1	202.1	231.0	399.6	745.0	916.1	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	5.1	5.5	0.0	26.6	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	17.3	12.4	35.9	43.8	105.4	265.5
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	10.4	0.0	10.3	54.7	37.6	92.9
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.3	4.1	30.8	21.9	90.3	66.4
	脳・中枢神経系	C70-C72	0.0	0.0	0.0	10.3	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	13.3
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	3.9	3.4	10.4	12.4	25.7	49.3	90.3	92.9
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	6.9	12.4	20.5	10.9	15.1	26.6
	白血病	C91-C95	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.5	0.0	0.0	0.0	0.0	3.4	6.9	8.2	15.4	60.2	30.1	79.7
女	全部位	C00-C97	0.0	0.0	0.0	0.0	5.5	0.0	17.0	11.2	12.4	61.5	122.3	98.4	164.4	260.7	340.2	521.9	842.1	1,669.2	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	4.2	14.9	28.1	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	3.4	0.0	0.0	8.5	10.0	28.1	
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	4.1	7.9	6.8	17.1	34.0	38.3	72.1	109.6	303.9	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	4.1	8.2	15.8	6.8	17.1	37.8	42.5	46.7	129.5	266.5	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	4.1	0.0	11.8	6.8	17.1	37.8	34.0	38.2	114.6	205.7	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	3.9	0.0	0.0	0.0	8.5	8.5	14.9	60.8	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	17.1	45.3	55.3	67.9	74.7	102.9	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	6.9	11.3	12.8	72.1	114.6	144.9
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	10.2	10.3	22.7	63.8	46.7	94.7	159.0	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	7.9	6.8	13.7	26.4	55.3	59.4	114.6	215.1	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	4.7	
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.5	31.6	23.8	24.0	18.9	29.8	25.5	24.9	42.1	
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	0.0	8.5	3.7	4.1	8.2	3.9	10.2	6.9	7.6	8.5	0.0	10.0	37.4	
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	0.0	8.5	3.7	4.1	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	9.4	
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.9	3.8	8.5	0.0	5.0	4.7	
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	12.3	15.8	10.2	27.4	15.1	8.5	12.7	10.0	42.1	
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.5	19.9	60.8	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	12.7	10.0	46.8	
	脳・中枢神経系	C70-C72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	3.4	0.0	0.0	0.0	0.0	4.7	
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	23.4	
悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.9	3.8	8.5	8.5	44.8	42.1	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.6	4.3	25.5	5.0	14.0		
白血病	C91-C95	0.0	0.0	0.0	0.0	5.5	0.0	4.2	0.0	0.0	0.0	0.0	11.8	0.0	3.4	3.8	4.3	12.7	10.0	28.1	
男女計	全部位	C00-C97	0.0	0.0	0.0	5.4	8.1	2.4	14.4	20.0	22.7	57.5	118.2	149.9	269.9	435.8	648.8	972.8	1,414.9	2,064.3	
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.1	2.0	3.4	3.4	7.9	4.7	12.0	21.0	24.2	
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	11.9	3.4	15.8	11.6	19.1	15.0	34.6
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	4.1	6.2	15.8	10.2	39.5	57.2	97.7	162.5	185.9	342.3	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	2.4	0.0	5.4	4.1	10.3	13.8	20.4	27.5	53.2	72.1	78.9	161.9	276.6	
	結腸	C18	0.0	0.0	0.0	0.0	0.0	2.4	0.0	3.6	2.1	4.1	11.8	10.2	25.8	45.4	44.2	52.6	134.9	210.9	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.1	6.2	2.0	10.2	1.7	7.9	27.9	26.3	27.0	65.7	
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	7.9	5.1	36.1	57.2	97.7	112.3	128.9	127.9	
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.4	15.5	13.8	23.3	74.1	131.9	159.1	
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	4.1	9.9	20.4	18.9	33.5	76.7	95.6	122.9	179.8	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	9.0	6.9	
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	10.3	15.8	27.2	37.8	110.4	134.9	208.0	365.7	397.6	
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0											

表12. 5年相対生存率(%) *1

A. 部位別、性別

2006年

部位	ICD-10	男			女			男女計		
		対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差	対象者数	5年相対生存率(%)	標準誤差
全部位	C00-C96	2,102	59.3	1.3	1,565	64.7	1.4	3,667	61.7	1.0
口腔・咽頭	C00-C14	26	59.7	11.2	14	47.3	15.3	40	55.7	9.1
食道	C15	69	42.0	6.5	10	24.9	17.6	79	40.1	6.1
胃	C16	491	67.9	2.6	260	63.0	3.5	751	66.2	2.1
大腸（結腸・直腸）*2	C18-C20	304	70.7	3.3	240	71.8	3.6	544	71.2	2.4
結腸	C18	182	70.1	4.4	172	70.4	4.3	354	70.2	3.1
直腸	C19-C20	122	71.6	5.0	68	75.0	6.4	190	73.0	4.0
肝および肝内胆管	C22	149	31.4	4.3	80	23.6	5.2	229	28.7	3.3
胆のう・胆管	C23-C24	64	25.3	6.6	73	15.8	4.7	137	20.3	4.0
膵臓	C25	79	14.7	4.3	59	9.3	4.1	138	12.6	3.1
喉頭	C32	22	75.7	12.6	2	52.3	41.4	24	74.1	12.1
肺	C33-C34	303	23.8	2.8	135	51.6	4.8	438	32.7	2.5
皮膚	C43-C44	27	97.0	9.5	12	94.4	8.8	39	96.2	6.9
乳房	C50	1	100.0	0.0	312	92.1	2.0	313	92.2	2.0
子宮	C53-C55	-	-	-	79	84.0	4.6	79	84.0	4.6
子宮頸部	C53	-	-	-	46	83.5	5.8	46	83.5	5.8
子宮体部	C54	-	-	-	31	88.3	7.1	31	88.3	7.1
卵巣	C56	-	-	-	38	60.1	8.3	38	60.1	8.3
前立腺	C61	243	97.4	3.3	-	-	-	243	97.4	3.3
膀胱	C67	76	90.1	6.3	24	63.9	12.0	100	85.9	5.7
腎・尿路（膀胱除く）	C64-C66 C68	64	69.6	6.9	31	60.3	9.8	95	66.5	5.7
脳・中枢神経系	C70-C72	9	11.4	10.9	6	41.5	23.0	15	22.2	11.5
甲状腺	C73	23	89.1	8.5	74	91.0	3.9	97	91.8	3.6
悪性リンパ腫	C81-C85 C96	57	66.0	7.5	48	78.1	7.1	105	72.3	5.3
多発性骨髄腫	C88-C90	12	31.8	15.9	16	35.5	13.2	28	34.1	10.2
白血病	C91-C95	26	29.8	9.8	14	22.6	11.7	40	27.7	7.6
小児がん		3	50.0	35.4	1	0.0	0.0	4	37.5	28.7

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1

B. 主要部位別、性別、臨床進行度別

2006年

部位	ICD-10	臨床 進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	1,035	89.8	1.6	799	87.0	1.6	1,834	88.6	1.1
		領域	477	43.3	2.6	399	60.2	2.7	876	51.3	1.9
		遠隔	393	9.2	1.6	243	11.4	2.2	636	10.0	1.3
		不明	197	37.7	4.0	124	39.4	5.0	321	38.4	3.1
		合計	2,102	59.3	1.3	1,565	64.7	1.4	3,667	61.7	1.0
胃	C16	限局	289	93.6	2.8	147	90.9	3.6	436	92.7	2.2
		領域	102	52.2	5.8	60	39.5	6.8	162	47.4	4.4
		遠隔	79	2.7	2.0	42	2.6	2.6	121	2.7	1.6
		不明	21	30.9	12.1	11	42.2	18.3	32	36.2	10.2
		合計	491	67.9	2.6	260	63.0	3.5	751	66.2	2.1
大腸（結腸・直腸）*2	C18-C20	限局	150	94.4	3.6	110	94.8	3.9	260	95.7	2.6
		領域	81	67.2	6.6	76	75.0	6.2	157	71.9	4.6
		遠隔	60	11.9	4.6	43	11.8	5.6	103	12.0	3.6
		不明	13	49.4	15.3	11	10.4	17.9	24	33.0	11.3
		合計	304	70.7	3.3	240	71.8	3.6	544	71.2	2.4
結腸	C18	限局	89	92.6	5.1	74	91.6	5.2	163	93.4	3.6
		領域	49	67.6	8.6	60	75.8	7.2	109	72.7	5.5
		遠隔	36	10.4	5.7	32	12.7	6.9	68	11.5	4.4
		不明	8	39.5	18.7	6	0.0	0.0	14	23.2	12.3
		合計	182	70.1	4.4	172	70.4	4.3	354	70.2	3.1
直腸	C19-C20	限局	61	93.6	4.8	36	98.0	5.3	97	96.5	3.6
		領域	32	66.5	10.4	16	71.0	12.6	48	69.2	8.1
		遠隔	24	13.6	7.5	11	9.7	9.4	35	12.4	5.9
		不明	5	63.5	24.5	5	23.0	37.1	10	46.2	20.1
		合計	122	71.6	5.0	68	75.0	6.4	190	73.0	4.0
肝および肝内胆管	C22	限局	92	44.0	6.0	56	31.4	6.8	148	39.2	4.5
		領域	30	11.3	6.2	9	0.0	0.0	39	8.8	4.9
		遠隔	13	0.0	0.0	7	0.0	0.0	20	0.0	0.0
		不明	14	24.7	12.9	8	14.2	14.2	22	21.1	9.8
		合計	149	31.4	4.3	80	23.6	5.2	229	28.7	3.3
肺	C33-C34	限局	73	67.8	7.1	70	87.3	5.4	143	77.8	4.6
		領域	96	19.1	4.5	23	27.2	9.6	119	20.9	4.1
		遠隔	109	4.3	2.2	34	6.4	4.5	143	4.8	2.0
		不明	25	0.0	0.0	8	0.0	0.0	33	0.0	0.0
		合計	303	23.8	2.8	135	51.6	4.8	438	32.7	2.5
乳房	C50	限局	0	...	...	189	98.8	1.8	189	98.8	1.8
		領域	0	...	...	94	91.9	3.7	94	91.9	3.7
		遠隔	0	...	...	18	24.8	10.9	18	24.8	10.9
		不明	1	100.0	0.0	11	71.7	15.0	12	74.4	13.9
		合計	1	100.0	0.0	312	92.1	2.0	313	92.2	2.0
子宮	C53-C55	限局	-	-	-	47	97.6	3.1	47	97.6	3.1
		領域	-	-	-	21	62.7	11.0	21	62.7	11.0
		遠隔	-	-	-	5	20.4	18.5	5	20.4	18.5
		不明	-	-	-	6	84.2	16.2	6	84.2	16.2
		合計	-	-	-	79	84.0	4.6	79	84.0	4.6
子宮頸部	C53	限局	-	-	-	22	100.0	0.0	22	100.0	0.0
		領域	-	-	-	17	65.5	12.0	17	65.5	12.0
		遠隔	-	-	-	2	50.4	36.4	2	50.4	36.4
		不明	-	-	-	5	80.9	19.3	5	80.9	19.3
		合計	-	-	-	46	83.5	5.8	46	83.5	5.8
子宮体部	C54	限局	-	-	-	25	94.8	5.8	25	94.8	5.8
		領域	-	-	-	3	66.9	27.6	3	66.9	27.6
		遠隔	-	-	-	2	0.0	0.0	2	0.0	0.0
		不明	-	-	-	1	100.0	0.0	1	100.0	0.0
		合計	-	-	-	31	88.3	7.1	31	88.3	7.1
前立腺	C61	限局	164	100.0	3.0	-	-	-	164	100.0	3.0
		領域	33	85.5	9.5	-	-	-	33	85.5	9.5
		遠隔	24	39.2	12.5	-	-	-	24	39.2	12.5
		不明	22	91.6	12.0	-	-	-	22	91.6	12.0
		合計	243	97.4	3.3	-	-	-	243	97.4	3.3

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1

B. 主要部位別、性別、臨床進行度別

平成5年-平成9年

部位	ICD-10	臨床 進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	3,602	81.8	0.9	2,691	86.0	0.9	6,293	83.6	0.6
		領域	1,977	36.2	1.2	1,840	49.6	1.3	3,817	42.8	0.9
		遠隔	1,440	9.4	0.9	888	8.3	1.0	2,328	8.9	0.6
		不明	577	31.3	2.2	455	41.9	2.6	1,032	36.1	1.7
		合計	7,596	52.4	0.7	5,874	59.4	0.7	13,470	55.5	0.5
胃	C16	限局	1,272	96.8	1.2	655	94.3	1.5	1,927	96.0	1.0
		領域	546	44.6	2.4	390	44.6	2.8	936	44.6	1.8
		遠隔	325	4.1	1.2	189	4.3	1.7	514	4.2	1.0
		不明	91	42.8	6.5	63	42.1	7.5	154	42.6	4.9
		合計	2,234	68.5	1.2	1,297	63.6	1.5	3,531	66.7	1.0
大腸（結腸・直腸）*2	C18-C20	限局	508	92.5	2.2	349	93.0	2.4	857	92.7	1.6
		領域	351	64.5	3.2	322	64.0	3.1	673	64.3	2.2
		遠隔	184	7.0	2.1	147	8.2	2.4	331	7.6	1.6
		不明	43	60.2	9.5	48	46.6	8.2	91	52.9	6.3
		合計	1,086	67.7	1.8	866	65.1	1.9	1,952	66.5	1.3
結腸	C18	限局	323	95.0	2.6	252	92.6	2.9	575	94.3	1.9
		領域	199	68.7	4.3	223	66.5	3.7	422	67.6	2.8
		遠隔	120	10.7	3.2	112	5.9	2.3	232	8.4	2.0
		不明	24	58.7	13.6	28	50.5	10.8	52	56.6	8.5
		合計	666	71.4	2.3	615	65.2	2.3	1,281	68.4	1.6
直腸	C19-C20	限局	185	86.8	3.7	97	94.1	4.2	282	89.4	2.8
		領域	152	59.1	4.8	99	58.1	5.7	251	58.7	3.7
		遠隔	64	0.0	0.0	35	15.5	6.5	99	5.6	2.4
		不明	19	53.2	13.2	20	40.4	12.6	39	48.0	9.2
		合計	420	61.8	2.8	251	64.8	3.5	671	63.0	2.2
肝および肝内胆管	C22	限局	412	27.8	2.4	195	25.5	3.3	607	27.0	1.9
		領域	81	4.4	2.5	43	13.0	5.5	124	7.5	2.6
		遠隔	58	6.1	3.4	28	0.0	0.0	86	4.0	2.3
		不明	70	20.6	5.4	34	12.9	6.0	104	18.0	4.1
		合計	621	21.9	1.8	300	19.9	2.4	921	21.3	1.5
肺	C33-C34	限局	247	48.5	3.8	115	76.2	4.9	362	57.6	3.1
		領域	374	11.8	1.8	113	9.8	3.0	487	11.3	1.6
		遠隔	315	2.2	0.9	122	0.9	0.9	437	1.8	0.7
		不明	104	13.4	3.8	39	21.2	8.0	143	15.6	3.5
		合計	1,040	17.6	1.3	389	27.7	2.5	1,429	20.4	1.2
乳房	C50	限局	3	70.6	38.7	539	96.0	1.2	542	95.9	1.3
		領域	2	100.0	0.0	322	78.5	2.5	324	78.7	2.5
		遠隔	1	0.0	0.0	55	23.8	6.1	56	23.5	6.0
		不明	1	0.0	0.0	36	73.8	8.0	37	72.4	8.1
		合計	7	64.9	25.1	952	85.2	1.3	959	85.2	1.3
子宮	C53-C55	限局	-	-	-	169	94.9	2.0	169	94.9	2.0
		領域	-	-	-	94	51.2	5.6	94	51.2	5.6
		遠隔	-	-	-	23	4.6	4.5	23	4.6	4.5
		不明	-	-	-	35	70.2	8.8	35	70.2	8.8
		合計	-	-	-	321	73.8	2.7	321	73.8	2.7
子宮頸部	C53	限局	-	-	-	101	94.3	2.7	101	94.3	2.7
		領域	-	-	-	76	52.3	6.2	76	52.3	6.2
		遠隔	-	-	-	14	0.0	0.0	14	0.0	0.0
		不明	-	-	-	25	75.3	10.1	25	75.3	10.1
		合計	-	-	-	216	72.1	3.4	216	72.1	3.4
子宮体部	C54	限局	-	-	-	65	95.4	3.2	65	95.4	3.2
		領域	-	-	-	15	56.0	13.7	15	56.0	13.7
		遠隔	-	-	-	6	17.2	16.1	6	17.2	16.1
		不明	-	-	-	8	57.7	19.1	8	57.7	19.1
		合計	-	-	-	94	81.5	4.4	94	81.5	4.4
前立腺	C61	限局	209	98.0	4.3	-	-	-	209	98.0	4.3
		領域	69	72.8	8.1	-	-	-	69	72.8	8.1
		遠隔	127	30.4	5.1	-	-	-	127	30.4	5.1
		不明	12	34.8	18.7	-	-	-	12	34.8	18.7
		合計	417	72.6	3.4	-	-	-	417	72.6	3.4

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1

B. 主要部位別、性別、臨床進行度別

平成10年-平成14年

部位	ICD-10	臨床 進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	3,986	83.3	0.9	2,968	86.5	0.8	6,954	84.7	0.6
		領域	2,020	40.4	1.2	1,875	51.3	1.3	3,895	45.7	0.9
		遠隔	1,438	9.3	0.9	871	9.5	1.1	2,309	9.3	0.7
		不明	907	39.5	1.9	691	49.2	2.2	1,598	43.7	1.4
		合計	8,351	55.5	0.7	6,405	61.7	0.7	14,756	58.2	0.5
胃	C16	限局	1,356	95.5	1.2	676	94.5	1.5	2,032	95.3	1.0
		領域	558	44.8	2.4	350	40.9	2.9	908	43.3	1.9
		遠隔	334	3.7	1.1	177	3.8	1.5	511	3.7	0.9
		不明	99	54.5	6.3	70	43.0	7.3	169	50.4	4.8
		合計	2,347	68.6	1.2	1,273	64.7	1.6	3,620	67.2	1.0
大腸（結腸・直腸）*2	C18-C20	限局	554	92.6	2.1	409	92.6	2.2	963	92.6	1.5
		領域	388	62.3	3.0	392	67.0	2.8	780	64.7	2.0
		遠隔	227	9.9	2.2	184	9.3	2.3	411	9.6	1.6
		不明	83	62.9	6.7	65	55.0	7.2	148	59.8	4.9
		合計	1,252	66.3	1.7	1,050	66.1	1.7	2,302	66.2	1.2
結腸	C18	限局	340	92.1	2.8	269	93.6	2.6	609	93.9	1.9
		領域	217	66.1	4.1	286	68.2	3.2	503	67.3	2.6
		遠隔	144	8.4	2.6	158	10.2	2.6	302	9.3	1.8
		不明	57	63.5	8.2	45	58.3	8.6	102	63.0	5.9
		合計	758	67.4	2.2	758	65.1	2.0	1,516	66.2	1.5
直腸	C19-C20	限局	214	91.5	3.3	140	87.5	4.0	354	90.0	2.6
		領域	171	57.6	4.4	106	63.9	5.2	277	60.1	3.4
		遠隔	83	12.4	3.9	26	4.1	4.2	109	10.4	3.1
		不明	26	59.0	11.6	20	43.8	13.0	46	52.7	8.7
		合計	494	64.7	2.6	292	68.6	3.2	786	66.1	2.0
肝および肝内胆管	C22	限局	468	40.5	2.5	251	33.5	3.2	719	38.0	2.0
		領域	72	8.2	3.5	38	14.8	6.2	110	10.6	3.2
		遠隔	46	2.4	2.5	25	8.6	5.8	71	4.7	2.7
		不明	66	27.5	6.0	44	30.3	7.6	110	28.8	4.7
		合計	652	33.0	2.0	358	29.5	2.6	1,010	31.7	1.6
肺	C33-C34	限局	241	68.4	3.8	155	80.1	4.0	396	73.1	2.8
		領域	332	19.9	2.4	95	24.1	4.7	427	20.9	2.1
		遠隔	323	2.6	1.0	98	2.3	1.6	421	2.5	0.8
		不明	253	18.7	2.8	81	35.8	6.1	334	22.9	2.6
		合計	1,149	24.9	1.4	429	41.6	2.6	1,578	29.5	1.3
乳房	C50	限局	7	91.3	17.4	593	98.0	1.1	600	98.1	1.1
		領域	1	0.0	0.0	323	82.3	2.4	324	82.1	2.4
		遠隔	0	...	...	62	28.4	5.9	62	28.4	5.9
		不明	1	100.0	0.0	84	89.3	4.5	85	89.7	4.5
		合計	9	82.4	17.8	1,062	88.5	1.2	1,071	88.6	1.2
子宮	C53-C55	限局	-	-	-	182	94.0	2.3	182	94.0	2.3
		領域	-	-	-	101	64.8	5.1	101	64.8	5.1
		遠隔	-	-	-	14	0.0	0.0	14	0.0	0.0
		不明	-	-	-	39	66.0	8.5	39	66.0	8.5
		合計	-	-	-	336	78.4	2.5	336	78.4	2.5
子宮頸部	C53	限局	-	-	-	84	92.5	3.5	84	92.5	3.5
		領域	-	-	-	67	60.5	6.5	67	60.5	6.5
		遠隔	-	-	-	8	0.0	0.0	8	0.0	0.0
		不明	-	-	-	26	73.6	9.8	26	73.6	9.8
		合計	-	-	-	185	74.6	3.5	185	74.6	3.5
子宮体部	C54	限局	-	-	-	93	94.6	2.9	93	94.6	2.9
		領域	-	-	-	33	74.9	8.0	33	74.9	8.0
		遠隔	-	-	-	4	0.0	0.0	4	0.0	0.0
		不明	-	-	-	11	58.8	16.6	11	58.8	16.6
		合計	-	-	-	141	85.2	3.4	141	85.2	3.4
前立腺	C61	限局	334	99.7	2.9	-	-	-	334	99.7	2.9
		領域	83	87.7	6.9	-	-	-	83	87.7	6.9
		遠隔	134	39.4	5.3	-	-	-	134	39.4	5.3
		不明	36	89.1	10.4	-	-	-	36	89.1	10.4
		合計	587	86.8	2.6	-	-	-	587	86.8	2.6

*1 補充届出患者を含まない

*2 粘膜がんを含まない

表12. 5年相対生存率(%) *1

B. 主要部位別、性別、臨床進行度別

平成15年-平成18年

部位	ICD-10	臨床 進行度	男			女			男女計		
			対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差	対象者数	5年相対生存率	標準誤差
全部位	C00-C96	限局	3,862	88.5	0.9	2,803	88.0	0.8	6,665	88.3	0.6
		領域	1,834	42.8	1.3	1,486	55.7	1.4	3,320	48.8	1.0
		遠隔	1,389	11.1	0.9	909	10.3	1.1	2,298	10.8	0.7
		不明	726	41.3	2.2	557	44.7	2.4	1,283	42.8	1.6
		合計	7,811	59.7	0.7	5,755	63.3	0.7	13,566	61.3	0.5
胃	C16	限局	1,092	96.3	1.4	565	96.6	1.6	1,657	96.6	1.1
		領域	421	48.1	2.8	223	38.8	3.6	644	44.8	2.2
		遠隔	283	5.2	1.5	163	4.1	1.6	446	4.9	1.1
		不明	79	52.3	7.0	46	49.3	9.1	125	51.5	5.6
		合計	1,875	69.9	1.4	997	66.8	1.7	2,872	68.8	1.1
大腸（結腸・直腸）*2	C18-C20	限局	540	98.4	2.0	381	95.1	2.2	921	97.1	1.5
		領域	345	68.2	3.2	279	69.8	3.3	624	69.0	2.3
		遠隔	228	14.1	2.5	176	9.2	2.3	404	11.9	1.7
		不明	51	51.5	8.6	39	48.4	10.1	90	50.2	6.6
		合計	1,164	71.0	1.7	875	67.8	1.9	2,039	69.7	1.3
結腸	C18	限局	334	98.3	2.6	269	94.6	2.6	603	96.9	1.8
		領域	215	73.7	4.0	204	69.9	3.9	419	71.9	2.8
		遠隔	158	11.6	2.8	129	11.6	3.0	287	11.6	2.1
		不明	35	43.5	10.2	24	45.7	13.4	59	44.4	8.1
		合計	742	71.1	2.2	626	68.5	2.3	1,368	69.9	1.6
直腸	C19-C20	限局	206	95.2	3.1	112	92.0	4.0	318	95.1	2.4
		領域	130	59.2	5.2	75	69.7	6.0	205	63.2	4.0
		遠隔	70	19.6	5.1	47	2.3	2.3	117	12.7	3.3
		不明	16	66.9	14.1	15	49.2	15.5	31	59.6	10.8
		合計	422	71.0	2.8	249	66.3	3.5	671	69.2	2.2
肝および肝内胆管	C22	限局	377	39.1	2.9	249	34.6	3.3	626	37.2	2.2
		領域	73	12.6	4.2	37	3.0	3.0	110	9.4	3.0
		遠隔	54	0.0	0.0	22	0.0	0.0	76	0.0	0.0
		不明	50	34.6	8.0	30	27.3	9.0	80	31.9	6.0
		合計	554	31.3	2.2	338	28.2	2.7	892	30.1	1.7
肺	C33-C34	限局	252	73.9	3.6	185	88.3	3.1	437	80.3	2.5
		領域	365	18.8	2.3	91	22.9	4.7	456	19.6	2.1
		遠隔	335	3.7	1.1	121	4.6	2.1	456	4.0	1.0
		不明	109	23.0	4.7	43	29.6	7.7	152	24.9	4.0
		合計	1,061	27.6	1.6	440	46.3	2.6	1,501	33.3	1.4
乳房	C50	限局	2	57.2	63.0	625	98.9	1.0	627	99.0	1.0
		領域	5	82.8	21.2	324	88.4	2.2	329	88.5	2.2
		遠隔	0	...	...	64	30.9	6.1	64	30.9	6.1
		不明	3	100.0	0.0	68	83.6	5.8	71	84.2	5.7
		合計	10	86.6	17.4	1,081	91.4	1.1	1,091	91.4	1.1
子宮	C53-C55	限局	-	-	-	168	95.8	2.1	168	95.8	2.1
		領域	-	-	-	79	60.1	6.1	79	60.1	6.1
		遠隔	-	-	-	26	4.2	4.1	26	4.2	4.1
		不明	-	-	-	29	60.9	9.9	29	60.9	9.9
		合計	-	-	-	302	76.1	2.7	302	76.1	2.7
子宮頸部	C53	限局	-	-	-	81	96.2	2.5	81	96.2	2.5
		領域	-	-	-	64	61.2	6.8	64	61.2	6.8
		遠隔	-	-	-	12	8.7	8.3	12	8.7	8.3
		不明	-	-	-	19	55.9	12.2	19	55.9	12.2
		合計	-	-	-	176	74.0	3.6	176	74.0	3.6
子宮体部	C54	限局	-	-	-	82	97.0	2.8	82	97.0	2.8
		領域	-	-	-	13	62.4	13.9	13	62.4	13.9
		遠隔	-	-	-	12	0.0	0.0	12	0.0	0.0
		不明	-	-	-	10	68.2	16.5	10	68.2	16.5
		合計	-	-	-	117	82.3	4.0	117	82.3	4.0
前立腺	C61	限局	620	100.0	1.8	-	-	-	620	100.0	1.8
		領域	116	92.3	5.0	-	-	-	116	92.3	5.0
		遠隔	127	43.7	5.5	-	-	-	127	43.7	5.5
		不明	75	83.1	7.2	-	-	-	75	83.1	7.2
		合計	938	95.5	1.8	-	-	-	938	95.5	1.8

*1 補充届出患者を含まない

*2 粘膜がんを含まない

付表1. がん罹患数および罹患率： 詳細部位別、性別

2009年

国際疾病 分類 ICD-10		年齢調整罹患率															累積罹患率 (0-74歳)		
		罹患数			割合 (%)			粗罹患率			日本人人口			世界人口					
											男			女					
部位		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	3,215	2,216	5,431	100.0	100.0	100.0	826.2	529.5	672.5	451.9	277.5	352.6	320.7	206.0	255.8	37.9	22.2	29.5
口唇	C00	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
その他および部位不明の舌	C02	10	11	21	0.3	0.5	0.4	2.6	2.6	2.6	2.1	2.2	2.1	1.6	1.9	1.8	0.1	0.2	0.1
歯肉	C03	7	6	13	0.2	0.3	0.2	1.8	1.4	1.6	0.8	0.3	0.5	0.5	0.1	0.3	0.1	0.0	0.0
口腔底	C04	2	0	2	0.1	0.0	0.0	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
口蓋	C05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	2	3	5	0.1	0.1	0.1	0.5	0.7	0.6	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
耳下腺	C07	4	4	8	0.1	0.2	0.1	1.0	1.0	1.0	1.0	0.6	0.8	1.0	0.5	0.7	0.1	0.0	0.1
その他および部位不明の大唾液腺	C08	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
扁桃	C09	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.5	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.0
中咽頭	C10	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
鼻く>咽頭	C11	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.5	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.0
梨状陥凹<咽>	C12	6	0	6	0.2	0.0	0.1	1.5	0.0	0.7	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0
下咽頭	C13	10	2	12	0.3	0.1	0.2	2.6	0.5	1.5	1.6	0.1	0.8	1.3	0.0	0.6	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	67	14	81	2.1	0.6	1.5	17.2	3.3	10.0	9.6	1.4	5.2	6.9	0.9	3.7	0.9	0.1	0.5
胃	C16	658	307	965	20.5	13.9	17.8	169.1	73.4	119.5	91.4	31.0	58.4	63.7	21.9	41.1	8.0	2.4	5.0
小腸	C17	14	5	19	0.4	0.2	0.3	3.6	1.2	2.4	2.4	0.4	1.4	1.8	0.3	1.0	0.2	0.0	0.1
結腸	C18	311	259	570	9.7	11.7	10.5	79.9	61.9	70.6	43.4	25.8	33.8	30.3	18.5	23.9	3.7	2.1	2.8
直腸S状結腸移行部	C19	24	18	42	0.7	0.8	0.8	6.2	4.3	5.2	3.1	1.9	2.4	2.1	1.4	1.7	0.2	0.2	0.2
直腸	C20	134	80	214	4.2	3.6	3.9	34.4	19.1	26.5	21.0	10.2	15.2	15.7	7.6	11.4	2.0	0.9	1.4
肛門および肛門管	C21	1	2	3	0.0	0.1	0.1	0.3	0.5	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	179	128	307	5.6	5.8	5.7	46.0	30.6	38.0	25.5	12.7	18.6	18.4	8.8	13.3	2.4	1.1	1.7
胆のう	C23	29	51	80	0.9	2.3	1.5	7.5	12.2	9.9	3.4	4.5	3.9	2.2	3.1	2.7	0.2	0.3	0.3
その他および部位不明の胆道	C24	70	54	124	2.2	2.4	2.3	18.0	12.9	15.4	9.1	3.8	6.2	6.1	2.5	4.2	0.7	0.2	0.4
脾臓	C25	134	104	238	4.2	4.7	4.4	34.4	24.9	29.5	18.0	9.0	13.1	12.4	6.1	9.0	1.3	0.7	1.0
その他および部位不明の消化器	C26	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	6	2	8	0.2	0.1	0.1	1.5	0.5	1.0	0.7	0.2	0.4	0.4	0.1	0.2	0.0	0.0	0.0
副鼻腔	C31	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.7	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
喉頭	C32	33	5	38	1.0	0.2	0.7	8.5	1.2	4.7	4.4	0.8	2.4	3.0	0.6	1.7	0.4	0.1	0.2
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	535	231	766	16.6	10.4	14.1	137.5	55.2	94.8	67.9	24.7	43.1	46.4	17.5	30.0	5.1	2.2	3.6
胸腺	C37	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	3	1	4	0.1	0.0	0.1	0.8	0.2	0.5	0.8	0.3	0.6	0.8	0.2	0.5	0.1	0.0	0.0
その他および部位不明の呼吸器および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.5	0.4	0.5	0.6	0.4	0.5	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	5	3	8	0.2	0.1	0.1	1.3	0.7	1.0	0.9	0.6	0.7	0.8	0.5	0.6	0.1	0.0	0.1
皮膚のその他	C44	57	43	100	1.8	1.9	1.8	14.6	10.3	12.4	8.0	5.1	6.4	5.7	3.6	4.5	0.7	0.4	0.5
中皮腫	C45	9	2	11	0.3	0.1	0.2	2.3	0.5	1.4	1.4	0.2	0.8	1.0	0.1	0.6	0.1	0.0	0.1
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	6	6	12	0.2	0.3	0.2	1.5	1.4	1.5	0.9	0.7	0.8	0.7	0.5	0.6	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	5	2	7	0.2	0.1	0.1	1.3	0.5	0.9	1.2	0.4	0.8	1.1	0.4	0.7	0.1	0.0	0.1
乳房	C50	1	370	371	0.0	16.7	6.8	0.3	88.4	45.9	0.2	67.7	34.8	0.1	52.5	26.9	0.0	5.5	2.8
外陰	C51	-	5	5	-	0.2	0.1	-	1.2	-	-	0.6	-	-	0.4	-	-	0.0	-
陰	C52	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
子宮頸部	C53	-	48	48	-	2.2	0.9	-	11.5	-	-	8.2	-	-	6.3	-	-	0.6	-
子宮体部	C54	-	48	48	-	2.2	0.9	-	11.5	-	-	8.8	-	-	6.8	-	-	0.7	-
子宮部位不明	C55	-	4	4	-	0.2	0.1	-	1.0	-	-	0.4	-	-	0.3	-	-	0.0	-
卵巢	C56	-	58	58	-	2.6	1.1	-	13.9	-	-	9.8	-	-	7.7	-	-	0.8	-
その他および部位不明の女性性器	C57	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	5	-	5	0.2	-	0.1	1.3	-	-	0.7	-	-	0.5	-	-	0.1	-	-
前立腺	C61	405	-	405	12.6	-	7.5	104.1	-	-	52.5	-	-	34.8	-	-	4.4	-	-
精巣	C62	20	-	20	0.6	-	0.4	5.1	-	-	5.9	-	-	4.9	-	-	0.4	-	-
その他および部位不明の男性性器	C63	3	-	3	0.1	-	0.1	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	C64	81	36	117	2.5	1.6	2.2	20.8	8.6	14.5	13.2	4.4	8.5	9.9	3.2	6.4	1.1	0.4	0.7
腎盂	C65	14	7	21	0.4	0.3	0.4	3.6	1.7	2.6	1.6	0.7	1.1	1.1	0.4	0.7	0.1	0.0	0.1
尿管	C66	11	4	15	0.3	0.2	0.3	2.8	1.0	1.9	1.4	0.							

付表1. がん罹患数および罹患率； 詳細部位別、性別

2009年

		国際疾病						年齢調整罹患率												累積罹患率(0-74歳)		
		分類	罹患数			割合(%)			粗罹患率			日本人人口			世界人口							
部位	ICD-10		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計		
上皮内がん																						
全部位	D00-D09	171	184	355	5.3	8.3	6.5	43.9	44.0	44.0	25.8	38.6	31.8	18.6	31.3	24.7	2.3	2.9	2.6			
口腔、食道および胃	D00	12	3	15	0.4	0.1	0.3	3.1	0.7	1.9	1.7	0.4	1.0	1.2	0.3	0.7	0.1	0.1	0.1			
食道	D001	8	2	10	0.2	0.1	0.2	2.1	0.5	1.2	1.2	0.3	0.7	0.9	0.2	0.5	0.1	0.0	0.1			
その他および部位不明の消化器	D01	77	37	114	2.4	1.7	2.1	19.8	8.8	14.1	12.8	5.9	9.2	9.4	4.5	6.9	1.1	0.5	0.8			
結腸	D010	54	25	79	1.7	1.1	1.5	13.9	6.0	9.8	8.9	3.8	6.2	6.5	3.0	4.7	0.7	0.3	0.5			
直腸S状結腸移行部	D011	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
直腸	D012	20	10	30	0.6	0.5	0.6	5.1	2.4	3.7	3.5	1.9	2.6	2.7	1.4	2.0	0.3	0.1	0.2			
中耳および呼吸器系	D02	2	0	2	0.1	0.0	0.0	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0			
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
上皮内黒色腫	D03	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0			
皮膚のその他	D04	15	16	31	0.5	0.7	0.6	3.9	3.8	3.8	1.8	1.2	1.5	1.2	0.7	0.9	0.1	0.1	0.1			
乳房	D05	0	56	56	0.0	2.5	1.0	0.0	13.4	6.9	0.0	13.0	6.5	0.0	10.4	5.2	0.0	1.1	0.5			
子宮頸部	D06	-	58	58	-	2.6	1.1	-	13.9	7.2	-	16.7	8.4	-	14.4	7.2	-	1.2	0.6			
その他および部位不明の性器	D07	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0			
その他および部位不明	D09	65	12	77	2.0	0.5	1.4	16.7	2.9	9.5	9.3	1.1	4.9	6.6	0.7	3.5	0.8	0.1	0.4			
膀胱	D090	59	11	70	1.8	0.5	1.3	15.2	2.6	8.7	8.5	1.1	4.5	6.1	0.7	3.2	0.7	0.1	0.4			
良性腫瘍																						
髄膜	D32	12	22	34	0.4	1.0	0.6	3.1	5.3	4.2	2.1	4.0	3.1	1.8	3.1	2.5	0.2	0.4	0.3			
脳および中枢神経系	D33	2	3	5	0.1	0.1	0.1	0.5	0.7	0.6	0.5	0.4	0.4	0.4	0.3	0.3	0.0	0.0	0.0			
下垂体、頭蓋咽頭管、松果体	D352-D354	4	4	8	0.1	0.2	0.1	1.0	1.0	1.0	1.1	1.0	1.0	0.9	0.8	0.8	0.1	0.1	0.1			
性状不詳または不明の腫瘍																						
髄膜	D42	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
脳および中枢神経系	D43	2	1	3	0.1	0.0	0.1	0.5	0.2	0.4	0.5	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0			
下垂体、頭蓋咽頭管、松果体	D443-D445	1	2	3	0.0	0.1	0.1	0.3	0.5	0.4	0.2	0.7	0.4	0.1	0.9	0.5	0.0	0.1	0.0			
真正赤血球増多症	D45	3	0	3	0.1	0.0	0.1	0.8	0.0	0.4	0.5	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0			
骨髄異形成症候群	D46	37	33	70	1.2	1.5	1.3	9.5	7.9	8.7	4.8	3.0	3.8	3.3	2.0	2.6	0.3	0.2	0.3			
慢性骨増殖性疾患他 *1	D47	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.2	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0			

*1 ICD-O-3により性状3に分類される形態

付表2. がん死亡数および死亡率； 詳細部位別、性別

2009 年

部位	国際疾病 分類 (ICD-10)	死亡数			死亡割合(%)			粗死亡率		年齢調整死亡率				平均年齢*			累積死亡率(0-74歳)		
		男	女	計	男	女	計	男	女	日本人人口		世界人口		男	女	計	男	女	計
										男	女	男	女						
全部位	C00-C97	1,412	932	2,344	100.0	100.0	100.0	366.6	228.1	179.0	79.6	120.7	55.6	74.9	78.6	76.4	12.5	5.5	8.8
口唇	C00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
舌根<基底>部	C01	1	0	1	0.1	0.0	0.0	0.3	0.0	0.2	0.0	0.1	0.0	*		*	0.0	0.0	0.0
その他および部位不明の舌	C02	2	2	4	0.1	0.2	0.2	0.5	0.5	0.5	0.1	0.4	0.0	52.0	83.0	67.5	0.0	0.0	0.0
歯肉	C03	4	5	9	0.3	0.5	0.4	1.0	1.2	0.4	0.3	0.2	0.2	79.0	80.6	79.9	0.0	0.0	0.0
口腔底	C04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
口蓋	C05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
その他および部位不明の口腔	C06	0	1	1	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0		*	*	0.0	0.0	0.0
耳下腺	C07	1	1	2	0.1	0.1	0.1	0.3	0.2	0.1	0.0	0.1	0.0	*	*	85.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
扁桃	C09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
中咽頭	C10	4	0	4	0.3	0.0	0.2	1.0	0.0	0.7	0.0	0.5	0.0	65.8		65.8	0.1	0.0	0.0
鼻<上>咽頭	C11	2	1	3	0.1	0.1	0.1	0.5	0.2	0.3	0.0	0.2	0.0	72.0	*	*	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
下咽頭	C13	5	1	6	0.4	0.1	0.3	1.3	0.2	0.9	0.0	0.7	0.0	64.6	*	*	0.1	0.0	0.0
その他および部位不明の口唇、口腔および咽頭	C14	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.0	0.1	0.0	83.0		83.0	0.0	0.0	0.0
食道	C15	34	13	47	2.4	1.4	2.0	8.8	3.2	4.8	1.0	3.4	0.7	71.1	79.7	73.5	0.4	0.1	0.2
胃	C16	212	133	345	15.0	14.3	14.7	55.0	32.6	27.0	9.4	18.0	6.4	74.9	81.9	77.6	1.9	0.6	1.2
小腸	C17	5	4	9	0.4	0.4	0.4	1.3	1.0	0.6	0.7	0.4	0.5	76.6	64.3	71.1	0.0	0.1	0.0
結腸	C18	96	107	203	6.8	11.5	8.7	24.9	26.2	12.5	8.7	8.8	6.0	74.6	79.6	77.3	0.9	0.6	0.7
直腸S状結腸移行部	C19	3	1	4	0.2	0.1	0.2	0.8	0.2	0.7	0.1	0.5	0.1	51.7	*	*	0.0	0.0	0.0
直腸	C20	42	22	64	3.0	2.4	2.7	10.9	5.4	5.6	1.7	3.8	1.2	73.6	82.8	76.8	0.5	0.1	0.3
肛門および肛門管	C21	3	1	4	0.2	0.1	0.2	0.8	0.2	0.3	0.0	0.2	0.0	74.7	*	*	0.0	0.0	0.0
肝および肝内胆管	C22	143	84	227	10.1	9.0	9.7	37.1	20.6	18.3	7.3	12.3	4.9	74.3	77.5	75.5	1.5	0.6	1.0
胆嚢	C23	18	37	55	1.3	4.0	2.3	4.7	9.1	1.9	2.4	1.1	1.5	80.1	81.7	81.2	0.0	0.1	0.1
その他および部位不明の胆道	C24	52	44	96	3.7	4.7	4.1	13.5	10.8	6.0	2.8	4.0	1.7	77.6	82.1	79.6	0.4	0.1	0.2
膵臓	C25	123	94	217	8.7	10.1	9.3	31.9	23.0	16.3	7.6	11.0	5.1	73.9	79.0	76.1	1.1	0.6	0.9
その他および部位不明の消化器	C26	2	1	3	0.1	0.1	0.1	0.5	0.2	0.3	0.1	0.2	0.0	71.5	*	*	0.0	0.0	0.0
鼻腔および中耳	C30	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
副鼻腔	C31	2	0	2	0.1	0.0	0.1	0.5	0.0	0.3	0.0	0.3	0.0	69.0		69.0	0.0	0.0	0.0
喉頭	C32	6	1	7	0.4	0.1	0.3	1.6	0.2	0.7	0.0	0.4	0.0	79.0	*	*	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
気管支および肺	C34	378	112	490	26.8	12.0	20.9	98.1	27.4	45.5	8.3	29.8	5.6	76.2	80.3	77.2	2.9	0.6	1.7
胸腺	C37	0	1	1	0.0	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0		*	*	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
その他および部位不明の呼吸器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
系および胸腔内臓器																			
(四)肢の骨および関節軟骨	C40	1	0	1	0.1	0.0	0.0	0.3	0.0	0.2	0.0	0.1	0.0	*		*	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	1	0	1	0.1	0.0	0.0	0.3	0.0	0.4	0.0	0.4	0.0	*		*	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	4	0	4	0.3	0.0	0.2	1.0	0.0	0.5	0.0	0.4	0.0	75.3		75.3	0.0	0.0	0.0
皮膚のその他	C44	2	2	4	0.1	0.2	0.2	0.5	0.5	0.2	0.2	0.2	0.1	79.5	78.0	78.8	0.0	0.0	0.0
中皮腫	C45	7	2	9	0.5	0.2	0.4	1.8	0.5	1.3	0.2	1.0	0.1	61.6	78.0	65.2	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.1	0.0	0.0	0.3	0.0	0.4	0.0	0.4	0.0	*		*	0.0	0.0	0.0
後腹膜および腹膜	C48	1	3	4	0.1	0.3	0.2	0.3	0.7	0.2	0.3	0.1	0.2	*	78.0	*	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	2	3	5	0.1	0.3	0.2	0.5	0.7	0.2	0.5	0.1	0.4	80.5	66.0	75.8	0.0	0.0	0.0
乳房	C50	1	59	60	0.1	6.3	2.6	0.3	14.4	0.2	8.5	0.1	6.5	*	68.4	*	0.0	0.7	0.4
外陰	C51	2	2	4	0.2	0.1	0.1	0.5	0.1	0.1	0.1	0.1	0.1		83.5	83.5	0.0	0.0	0.0
陰茎	C52	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
子宮頸部	C53	7	7	14	0.8	0.3	0.7	1.7	1.6	1.6	1.6	1.2	1.2	55.3	55.3		0.1	0.1	0.1
子宮体部	C54	9	9	18	1.0	0.4	0.7	2.2	1.2	1.2	0.9	0.9	0.9	68.8	68.8		0.1	0.1	0.1
子宮部位不明	C55	10	10	20	1.1	0.4	0.7	2.4	1.1	1.1	0.9	0.9	0.9	77.3	77.3		0.1	0.1	0.1
卵巢	C56	39	39	78	4.2	1.7	2.9	9.5	5.5	9.5	5.5	4.3	4.3	68.8	68.8		0.5	0.5	0.5
その他および部位不明の女性性器	C57	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
胎盤	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
陰茎	C60	2	2	4	0.1	0.1	0.1	0.5	0.3	0.3	0.2	0.2	0.2	74.5		74.5	0.0	0.0	0.0
前立腺	C61	59	59	118	4.2	2.5	3.3	15.3	6.6	6.6	4.4	4.4	4.4	78.7		78.7	0.4	0.4	0.4
精巣	C62	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
その他および部位不明の男性性器	C63	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0
腎盂を除く腎	C64	17	10	27	1.2	1.1	1.2	4.4	2.4	2.0	0.6	1.3	0.4	75.7	84.6	79.0	0.1	0.0	0.1
腎盂	C65	5	0	5	0.4	0.0	0.2	1.3	0.0	0.6	0.0	0.4	0.0	75.4		75.4	0.1	0.0	0.0
尿管	C66	8	3	11	0.6	0.3	0.5	2.1	0.7	0.8	0.2	0.5	0.1	80.0	83.0	80.8	0.1	0.0	0.

付表3. 受療割合詳細 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	単独療法							併用療法 *1							その他*3	不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *2	切除+放射線+薬物				
全部位	C00-C96	5,302	21.1	5.0	7.3	2.3	9.3	0.1	3.1	1.0	16.2	4.3	0.4	3.8	6.8	19.3		
口腔・咽頭	C00-C14	83	19.3	0.0	0.0	6.0	0.0	0.0	0.0	2.4	3.6	25.3	0.0	28.9	0.0	14.5		
食道	C15	79	10.1	1.3	10.1	2.5	5.1	0.0	0.0	1.3	13.9	27.8	0.0	3.8	6.3	17.7		
胃	C16	945	28.7	4.0	24.8	0.0	7.4	0.1	0.0	0.0	15.4	0.1	0.0	0.1	3.4	16.0		
大腸（結腸・直腸）	C18-C20	810	35.3	7.9	7.9	0.0	2.0	0.0	0.0	0.0	29.8	0.0	0.0	0.4	4.6	12.2		
結腸	C18	559	33.1	10.2	7.5	0.0	1.8	0.0	0.0	0.0	28.6	0.0	0.0	0.0	4.5	14.3		
直腸	C19-C20	251	40.2	2.8	8.8	0.0	2.4	0.0	0.0	0.0	32.3	0.0	0.0	1.2	4.8	7.6		
肝および肝内胆管	C22	294	8.5	0.0	0.3	0.3	9.9	0.0	0.0	0.3	1.7	0.3	1.0	0.0	50.3	27.2		
胆のう・胆管	C23-C24	193	15.0	2.6	9.8	0.0	10.4	0.0	0.0	0.0	16.1	0.0	0.0	1.0	13.5	31.6		
膵臓	C25	231	6.1	0.0	6.1	0.4	21.2	0.0	0.0	0.0	18.2	1.7	0.0	1.7	6.9	37.7		
喉頭	C32	38	15.8	0.0	0.0	23.7	0.0	0.0	0.0	2.6	13.2	23.7	0.0	7.9	2.6	10.5		
肺	C33-C34	732	4.6	14.5	0.0	7.4	16.5	0.1	0.0	0.1	9.3	11.3	0.0	1.9	3.3	30.9		
皮膚	C43-C44	108	83.3	0.0	0.0	0.9	0.0	0.0	0.0	3.7	3.7	0.9	0.0	0.0	0.0	7.4		
乳房	C50	369	15.4	0.3	0.0	0.0	1.9	0.0	2.2	3.5	40.4	0.3	0.3	30.4	1.1	4.3		
乳房（女性のみ）	C50	368	15.5	0.3	0.0	0.0	1.9	0.0	2.2	3.5	40.5	0.0	0.3	30.4	1.1	4.3		
子宮	C53-C55	100	39.0	1.0	1.0	9.0	0.0	0.0	1.0	6.0	17.0	7.0	0.0	2.0	0.0	17.0		
子宮頸部	C53	48	27.1	2.1	0.0	18.8	0.0	0.0	0.0	10.4	8.3	14.6	0.0	2.1	0.0	16.7		
子宮体部	C54	48	54.2	0.0	0.0	0.0	0.0	0.0	2.1	2.1	27.1	0.0	0.0	2.1	0.0	12.5		
卵巣	C56	58	10.3	0.0	0.0	1.7	17.2	0.0	0.0	0.0	51.7	0.0	0.0	1.7	1.7	15.5		
前立腺	C61	404	14.4	0.5	1.7	6.9	1.2	0.0	38.1	1.0	5.0	14.9	2.5	0.7	1.0	12.1		
膀胱	C67	121	5.8	0.8	26.4	0.0	0.0	0.0	0.0	3.3	25.6	0.8	0.8	2.5	9.9	24.0		
腎・尿路（膀胱除く）	C64-C66 C68	151	28.5	30.5	1.3	1.3	4.6	1.3	0.0	0.7	11.3	0.0	0.0	1.3	6.0	13.2		
脳・中枢神経系	C70-C72	37	2.7	0.0	0.0	0.0	2.7	0.0	0.0	2.7	8.1	5.4	0.0	40.5	2.7	35.1		
甲状腺	C73	121	67.8	0.0	1.7	0.0	0.0	0.0	0.0	1.7	5.8	0.0	0.0	1.7	1.7	19.8		
悪性リンパ腫	C81-C85 C96	166	1.8	0.0	0.0	3.6	48.2	0.6	1.8	2.4	9.0	6.6	1.8	1.2	5.4	17.5		
多発性骨髄腫	C88-C90	37	0.0	0.0	0.0	0.0	54.1	0.0	2.7	0.0	0.0	0.0	0.0	0.0	10.8	32.4		
白血病	C91-C95	70	0.0	0.0	0.0	0.0	54.3	0.0	0.0	0.0	0.0	0.0	1.4	0.0	24.3	20.0		

*1 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫・内分泌療法を指す。

*2 化学、免疫、内分泌療法のいずれかの併用

*3 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療（TAE、PEITなど）の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表3. 受療割合詳細 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2009年

部位	ICD-10	集計対象数	単独療法							併用療法 *2							不明
			外科	体腔鏡	内視鏡	放射線	化学	免疫	内分泌	切除+放射線	切除+薬物	薬物+放射線	薬物 *3	切除+放射線+薬物	その他*4		
全部位	C00-C96 D00-D09	5,657	21.9	4.9	9.2	2.2	8.7	0.1	3.0	1.2	15.6	4.1	0.3	3.7	6.6	18.5	
食道	C15 D001	89	9.0	1.1	11.2	2.2	4.5	0.0	0.0	1.1	12.4	24.7	0.0	3.4	9.0	21.3	
大腸（結腸・直腸）*1	C18-C20 D010-D012	920	32.2	7.7	16.3	0.0	1.7	0.0	0.0	0.0	26.2	0.0	0.0	0.3	4.3	11.2	
結腸 *1	C18 D010	638	29.9	10.0	15.8	0.0	1.6	0.0	0.0	0.0	25.1	0.0	0.0	0.0	4.4	13.2	
直腸 *1	C19-C20 D011-D012	282	37.2	2.5	17.4	0.0	2.1	0.0	0.0	0.0	28.7	0.0	0.0	1.1	4.3	6.7	
肺	C33-C34 D021-D022	732	4.6	14.5	0.0	7.4	16.5	0.1	0.0	0.1	9.3	11.3	0.0	1.9	3.3	30.9	
皮膚	C43-C44 D030-D049	140	85.7	0.0	0.0	0.7	0.0	0.0	0.0	2.9	2.9	0.7	0.0	0.0	0.7	6.4	
乳房	C50 D05	425	18.1	0.5	0.0	0.0	1.6	0.0	1.9	6.6	36.2	0.2	0.2	28.5	1.2	4.9	
乳房（女性のみ）	C50 D05	424	18.2	0.5	0.0	0.0	1.7	0.0	1.9	6.6	36.3	0.0	0.2	28.5	1.2	5.0	
子宮	C53-C55 D06	158	55.7	1.3	1.3	5.7	0.0	0.0	0.6	3.8	10.8	4.4	0.0	1.3	0.6	14.6	
子宮頸部	C53 D06	106	58.5	1.9	0.9	8.5	0.0	0.0	0.0	4.7	3.8	6.6	0.0	0.9	0.9	13.2	
膀胱	C67 D090	191	6.3	0.5	38.2	0.0	0.0	0.5	0.0	2.6	27.7	0.5	0.5	1.6	6.3	15.2	

*1 粘膜がんを含む

*2 切除は外科・体腔鏡・内視鏡的療法、薬物は化学・免疫療法・内分泌療法を指す。

*3 化学、免疫、内分泌療法のいずれかの併用

*4 単独療法および併用療法のいずれの項目にも含まれないものを指す (1)その他の治療（TAE、PEITなど）の実施 (2)外科、体腔鏡、内視鏡的療法のいずれかの併用

付表4. 医療圏別、保健所別罹患数； 部位別、性別
A. 上皮内がんを除く

2009年

医療圏/保健所	全部位 C00-C96			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	3,215	2,216	5,431	658	307	965	469	357	826	311	259	570	158	98	256	179	128	307	535	231	766	1	370	371	100	48	48	405
福井・坂井医療圏	1,689	1,174	2,863	342	151	493	237	208	445	156	155	311	81	53	134	103	72	175	274	116	390	1	199	200	38	17	18	236
奥越医療圏	267	175	442	55	20	75	37	25	62	25	13	38	12	12	24	15	17	32	46	22	68	0	22	22	9	4	5	28
丹南医療圏	717	518	1,235	161	91	252	107	75	182	70	61	131	37	14	51	32	19	51	124	52	176	0	97	97	35	19	15	78
嶺南医療圏	542	349	891	100	45	145	88	49	137	60	30	90	28	19	47	29	20	49	91	41	132	0	52	52	18	8	10	63
福井保健所	1,225	828	2,053	238	110	348	186	160	346	123	118	241	63	42	105	70	45	115	194	77	271	0	140	140	23	10	10	179
坂井保健所	464	346	810	104	41	145	51	48	99	33	37	70	18	11	29	33	27	60	80	39	119	1	59	60	15	7	8	57
奥越保健所	267	175	442	55	20	75	37	25	62	25	13	38	12	12	24	15	17	32	46	22	68	0	22	22	9	4	5	28
丹南保健所	717	518	1,235	161	91	252	107	75	182	70	61	131	37	14	51	32	19	51	124	52	176	0	97	97	35	19	15	78
二州保健所	384	256	640	71	33	104	66	37	103	45	23	68	21	14	35	22	17	39	62	29	91	0	45	45	12	7	5	48
若狭保健所	158	93	251	29	12	41	22	12	34	15	7	22	7	5	12	7	3	10	29	12	41	0	7	7	6	1	5	15

付表4. 医療圏別、保健所別罹患数； 部位別、性別

B. 上皮内がんを含む

2009年

医療圏/保健所	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮		子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女		女
福井県	3,386	2,400	5,786	544	392	936	365	284	649	179	108	287	535	231	766	1	426	427	158		106
福井・坂井医療圏	1,799	1,275	3,074	285	226	511	190	167	357	95	59	154	274	116	390	1	226	227	68		47
奥越医療圏	280	189	469	45	29	74	33	16	49	12	13	25	46	22	68	0	25	25	14		9
丹南医療圏	742	558	1,300	118	84	202	77	67	144	41	17	58	124	52	176	0	109	109	51		35
嶺南医療圏	565	378	943	96	53	149	65	34	99	31	19	50	91	41	132	0	66	66	25		15
福井保健所	1,303	900	2,203	220	173	393	148	126	274	72	47	119	194	77	271	0	162	162	43		30
坂井保健所	496	375	871	65	53	118	42	41	83	23	12	35	80	39	119	1	64	65	25		17
奥越保健所	280	189	469	45	29	74	33	16	49	12	13	25	46	22	68	0	25	25	14		9
丹南保健所	742	558	1,300	118	84	202	77	67	144	41	17	58	124	52	176	0	109	109	51		35
二州保健所	401	279	680	72	39	111	49	25	74	23	14	37	62	29	91	0	57	57	17		12
若狭保健所	164	99	263	24	14	38	16	9	25	8	5	13	29	12	41	0	9	9	8		3

*1 粘膜がんを含む

付表5. 市区町村別罹患数； 部位別、性別

A. 上皮内がんを除く

2009年

市区町村	全部位 C00-C96			胃 C16			大腸(直腸・結腸) C18-C20			結腸 C18			直腸 C19-C20			肝臓 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女	男
福井県	3,215	2,216	5,431	658	307	965	469	357	826	311	259	570	158	98	256	179	128	307	535	231	766	1	370	371	100	48	48	405
福井市	1,115	772	1,887	209	101	310	172	152	324	112	113	225	60	39	99	63	43	106	181	74	255	0	124	124	21	9	10	160
敦賀市	282	176	458	55	24	79	44	25	69	30	13	43	14	12	26	15	8	23	41	19	60	0	34	34	9	4	5	36
小浜市	99	57	156	20	8	28	14	4	18	11	1	12	3	3	6	3	1	4	18	6	24	0	5	5	2	0	2	9
大野市	163	107	270	26	12	38	22	18	40	14	9	23	8	9	17	11	14	25	32	14	46	0	13	13	4	2	2	22
勝山市	104	68	172	29	8	37	15	7	22	11	4	15	4	3	7	4	3	7	14	8	22	0	9	9	5	2	3	6
鯖江市	225	159	384	53	25	78	46	23	69	28	20	48	18	3	21	12	6	18	37	18	55	0	31	31	13	9	4	22
あわら市	123	91	214	25	14	39	13	12	25	6	11	17	7	1	8	13	10	23	23	14	37	1	9	10	0	0	0	14
越前市	322	227	549	63	42	105	40	29	69	29	20	49	11	9	20	15	5	20	59	17	76	0	47	47	19	9	10	39
坂井市	341	255	596	79	27	106	38	36	74	27	26	53	11	10	21	20	17	37	57	25	82	0	50	50	15	7	8	43
永平寺町	110	56	166	29	9	38	14	8	22	11	5	16	3	3	6	7	2	9	13	3	16	0	16	16	2	1	0	19
池田町	6	13	19	0	1	1	1	0	1	0	0	0	1	0	1	0	0	0	0	2	2	0	4	4	0	0	0	0
南越前町	61	51	112	18	7	25	7	11	18	5	9	14	2	2	4	3	3	6	12	7	19	0	10	10	1	0	0	8
越前町	103	68	171	27	16	43	13	12	25	8	12	20	5	0	5	2	5	7	16	8	24	0	5	5	2	1	1	9
美浜町	43	40	83	6	4	10	10	7	17	8	5	13	2	2	4	2	2	4	8	5	13	0	7	7	3	3	0	6
高浜町	34	23	57	5	1	6	6	5	11	4	3	7	2	2	4	3	1	4	6	5	11	0	1	1	4	1	3	5
おおい町	25	13	38	4	3	7	2	3	5	0	3	3	2	0	2	1	1	2	5	1	6	0	1	1	0	0	0	1
若狭町	59	40	99	10	5	15	12	5	17	7	5	12	5	0	5	5	7	12	13	5	18	0	4	4	0	0	0	6

付表5. 市区町村別罹患数； 部位別、性別
B. 上皮内がんを含む

2009年

市区町村	全部位			大腸(結腸・直腸)			結腸			直腸			肺			乳房			子宮		子宮頸部
	C00-C96 D01-D09			C18-C20 D010-D012 *1			C18 D010 *1			C19-C20 D011-D012 *1			C33-C34 D021-D022			C50 D05			C53-C55 D06		C53 D06
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	女	女	女
福井県	3,386	2,400	5,786	544	392	936	365	284	649	179	108	287	535	231	766	1	426	427	158		106
福井市	1,188	837	2,025	202	164	366	134	120	254	68	44	112	181	74	255	0	144	144	38		26
敦賀市	296	193	489	48	26	74	32	14	46	16	12	28	41	19	60	0	43	43	13		8
小浜市	104	62	166	15	5	20	11	2	13	4	3	7	18	6	24	0	7	7	4		2
大野市	169	119	288	27	22	49	19	12	31	8	10	18	32	14	46	0	15	15	9		7
勝山市	111	70	181	18	7	25	14	4	18	4	3	7	14	8	22	0	10	10	5		2
鯖江市	233	177	410	49	30	79	30	24	54	19	6	25	37	18	55	0	34	34	21		17
あわら市	131	100	231	17	14	31	9	12	21	8	2	10	23	14	37	1	10	11	2		2
越前市	333	241	574	46	30	76	32	21	53	14	9	23	59	17	76	0	54	54	24		14
坂井市	365	275	640	48	39	87	33	29	62	15	10	25	57	25	82	0	54	54	23		15
永平寺町	115	63	178	18	9	27	14	6	20	4	3	7	13	3	16	0	18	18	5		4
池田町	7	13	20	2	0	2	1	0	1	1	0	1	0	2	2	0	4	4	0		0
南越前町	61	52	113	7	11	18	5	9	14	2	2	4	12	7	19	0	10	10	1		0
越前町	108	75	183	14	13	27	9	13	22	5	0	5	16	8	24	0	7	7	5		4
美浜町	44	44	88	11	7	18	9	5	14	2	2	4	8	5	13	0	10	10	3		3
高浜町	34	24	58	6	6	12	4	4	8	2	2	4	6	5	11	0	1	1	4		1
おい町	26	13	39	3	3	6	1	3	4	2	0	2	5	1	6	0	1	1	0		0
若狭町	61	42	103	13	6	19	8	6	14	5	0	5	13	5	18	0	4	4	1		1

*1 粘膜がんを含む